Silverline was founded in 1994 to serve in the builtin appliances sector. It offers enjoyable cooking experience for millions of kitchens in more than 70 countries with the mission "transforming kitchens into attractive living spaces with innovative designs and environmentally friendly solutions."

Silverline focuses on innovation, technology and design, and is one of the largest hood manufacturer in the world. The company has a production capacity of 2.3 million units at its facilities, where it has integrated the new-generation production technologies. Offering innovative products, Silverline has so far received more than 160 international awards, including the most prestigious awards in the world such as the Good Design, Red-Dot, Plus X Award, IF Design, and German Design Award.

Silverline carefully assesses the impacts of its activities and products on the environment and all of its shareholders, and aims to create sustainable value for a better life and a better world.



CONTENTS

HOODS Technologies Worktop Hoods Suspended Hoods Island Hoods Ceiling Hoods Wall-Mounted Hoods Built-In Hoods Accessories Retro Series Vintage Series	50 20 34 44 50 56 76 88 94
OVENS Multifunction Electric Ovens Gas Ovens Free Standing Cookers	106 114 130 132
MICROWAVES	134
HOBS Induction Hobs Vitro Ceramic Hobs Myflame Hobs Glass Built-in Hobs Stainless Steel Hobs Freestanding Hobs	140 144 147 148 154 178
REFRIGERATORS Freezers	180 197
DISHWASHERS	200
WASHING MACHINES	206







TECHNOLOGIES




Bringing intelligence to your kitchen and joy to your life!

Let your cooking and ventilating systems work in harmony, you just enjoy your kitchen.

Connecting the hood with the hob, SilverConnect ensures that ventilation is enabled the minute the cooking process starts. Adjusting the level of ventilation according to the cooking temperature, this technology brings ease of use and innovation to the kitchen.





Easy installation

SilverWire, the steel hanging system that permits easy installation of hoods, offers ease of installation and saves you time.


The hood is easily positioned with the help of 4 steel wires and can be installed by one person only.

Fresh air in your kitchen

SilverAIS 📵

Thanks to the AIS technology, the air in your kitchen is under control. When the hood opens, the external valve opens automatically thanks to the RS system to ensure clean air circulation inside. All you need to do is integrate the AIS system in your kitchen hood to make sure that the air in your kitchen is always clean.






Maximum technology and energy efficiency!

Developed by Silverline R&D Center, the SilverCVS (Central Ventilation System) technology is integrated into the central airflow stations of the building to optimise energy efficiency.

Having the ability to clean the ambient air without running the hood motor, this system comes to the fore with a low noise level (26 dB) and the self-cleaning function.






The silence that your kitchen needs...

Allowing the hood motor to be moved outside in a modular way, the SilverFlex technology offers the user a convenient kitchen experience.

Ensuring that the ventilation motor, the primary source of noise of hoods can be installed outside, this special technology is the beginning of a new silent era in the kitchen.





The flexible circulating air / Exhaust air circuit


Silver Switch Deluxe makes planning exhaust air in summer particularly easy, since no more between the installation of a recirculation or exhaust air system must become. Because Silver Switch Deluxe can do both. At will between recirculation and exhaust air operation be switched, what a high flexibility in the kitchen climate. Silver Switch converts to many ducted Wall and island hoods from Install and retrofit Silverline, provided this with an exhaust duct operate.


we manage extraction in many ways


Silverline hoods provide you with a fume-free and fresh kitchen thanks to their unique design and different extraction systems for all types of kitchens.



You can cook in peace in your kitchen with the noise level reduced down to 34 dB thanks to this feature.








Ceiling Extraction

Effectively removes cooking fumes and unpleasant odors from kitchen. The system is available both internal and external circulation.




Zone-focused extraction

The decorative hood provides extraction

specific to the active cooking zone of the

Integrated extraction

Hi-performance extraction system quickly removes the fume from cooking surface





THE TECHNOLOGY THAT MAKESLIFE EASIER IN THE KITCHEN: SILVERINE HI!

Whit the smart Hi application by Silverline, control your appliances in your kitchen from anywhere

Say hi to hi



Welcome to High Intelligence kitchen experience.

With the Hi app, you will have the lot and experience the convenience of controlling your appliances in the kitchen any place you'd like. What awaits you is a unique kitchen experience that will make your life easier with many features offered by the smart Hi world.

- Simultaneous working of appliances in the kitchen
- Application control (iOS & Android)
- Filter life cycle reminding indicator (carbon filter & grease filter)
- Flavourful recipes for every taste
- Air quality sensor
- Humidity & Temperature sensor
- Voice control (With Alexa)

Adjust The Height

It is possible to adjust the hood height up and down. When not in use, it is raised to lock like a ceiling fixture.

Led Ambiant

You can enjoy your kitchen ambiance by changing the light of your hood & the ambience lighting on the ceiling with RGB and Tunable White mode via the App or with Alexa

Filter Replacement Time

It informs you when it is time to clean or replace the grease and carbon filter. This esures that the high efficiency of your product is maintained.

Air Quality is Continuously Monitored

Equipped with superior air quality sensors, Silverline Hi products keep the air quality maximized at all times.









A Nano-Silver technology against the viruses and bacteria in your kitchen: Silverline PerfectION

Oil, fat and food residues in the kitchen can cause bacteria. Since we spend a lot of time in the kitchen and our foods touch many surfaces, it is important to ensure maximum hygiene in the kitchen.

Silverline PerfectION coats all the glass and metal surfaces of the products during production. It access the DNA and RNA codes of all the bacteria, fungi and viruses on the surfaces to eliminate them and ensures maximum hygiene.

Continuous hygiene is possible: Silverline PerfectION

It is up to you to ensure that this level of hygiene continuous, both on Silverline products that are carefully sanitized and packaged after production, and later on in your kitchen. To ensure maximum hygiene against viruses and bacteria, all you need to do is use the PerfectION spray every 6 months. You can apply the PerfectION spray on all glass and metal surfaces of your Silverline products.







What is Silverline PerfectION?

Nano-silver ensures long-term antiviral and antibacterial effect on all surfaces.

- It kills both viruses and bacteria.
- It falls into the category of widespectrum high-level disinfectants thanks to the long-term effect it has.
- It kills enveloped and non-enveloped viruses as well as all gram positive and negative pathogens.

Does PerfectION contain any harmful chemical allergens?

Nano-silver is considered a natural antibiotic in global literature. The World Health Organization tolerates up to 100 ppm of silver in potable water..

What is the application duration for Silverline PerfectION? When can we start to use the area?

The application duration is 10 to 15 minutes for an area of 100 $\,$ m 2 . 10 minutes later, a layer of mist rolls in to stick to all surfaces and get activated.

Is any preparation necessary before the application?

It is recommended not to leave exposed food in the application area. Open the cabinet doors to ensure that the inside of them are sanitized as well.

How often Silverline PerfectION should be applied?

The ideal frequency of application depends on the risk scope of each area. For Silverline products, it should be applied every 6 months to ensure maximum protection.

Is it harmful to pets?

According to the standards of the World Health Organization, 100 ppm of silver is tolerable in potable water. Nano Clear AG+ has 80 ppm. There is no side effect in case of inhalation or skin contact.



YT950.1000.55 YT950.1000.56 YT950.1000.57

Energy Class



HOB DISTANCE (ELECTRIC)

HOB DISTANCE (GAS)

The distance between electric hob and hood. The distance between gas hob and



LIGHTING (STANDARD)

The halogen lamp has high efficiency, quality of light, and high rated life.



LED LIGHTING

Provides higher brightness with lower energy.



HI SERIES

Guarantees brilliant cooking experience and fresh air by Hi technologies.

(((q)))

AIR QUALITY INDICATOR



MANUAL MODE

Manual control of hood functions





V12 DYNAMIC IQ MOTOR

with high energy efficiency, air extraction performance and very



CARBON FILTER

It makes sure your kitchen is kept

odour-free. The filter filtrates

vapours and grease created by

cookina.

- - - -

LED STRIPE LIGHTING

Provides flexibility and color

options which make it perfectly

suited for many lighting

applications.

V12 10

low noise level.

LIFT

Air quality feedback to keep ambient Adjustable height for the hood. air quality at the best level and automatic function.





WASTE WATER CAPACITY



AUTO FUNCTION

It enables the product to work automatically thanks to the data it receives from the sensors.



REMOTE CONTROL

Control with a functional remote controller.



RGB LED LIGHTING

The color of the light is adjusted with the remote control.



ACTIVE FLEX CARBON FILTER

Flexible carbon filter that allows easy usage and replacement.



APP CONTROL

Control with IOS and/or Android applications.



SILVER CONNECT

Automatic adjustment of the hood speed according to the air flow by the cooker with Bluetooth.



EASY INSTALLATION



Easy installation of hoods via spending less time and energy



WEIGHT

The weight of hood.




TUNABLE LED LIGHTING

Temperature value of white color.



AUTOMATIC SENSORS

Automatic control for the functions.



CUSTOMISATION

Provides panel options according to the customer's preference,



AUTO MODE

Automatic hood system operating simultaneously with the hob for worktop hoods.



HE V12 DYNAMIC IQ MOTOR

New generation engine technology with high energy efficiency, air extraction performance and very



FILTER LIFECYCLE INDICATOR

Alerts when filters are due for




PLUG & PLAY

replacement.



FULL SURFACE LIGHTING

Creates a brighter kitchen





SILVERMUTE

Products with a whisper-level sound.



USING WITH PIPE

Usage with pipe for worktop hoods.



STEAM SENSOR

It detects the steam and ensures that the hood works automatically.





7170 FLOW-IN PRO X BLW



Technical Data Power Stage Setting Category Worktop Hoods 4 Boosters Duct Out Version Intern (Duct Out / Recirculation) Bridge Double Finish Inox + Tempered Glass Residual Heat Indicator Timer

Performance Data

Hood

Max Flow Rate 610 (m³/h) Max Noise Level 69 dB(A) Total Absorbation 240W

U-Shaped Black Grease Filter + Optional Active Flex Carbon Filter Filter + Optional Helsa Filter

Control Smart Control 96+B

Lighting

220x89 mm **Duct Size**

Hob **Technical Data**

Automatic Safety Switch Off 90 Min

Child Lock Pause and Recall Yes Voltage 220-240V 50 / 60Hz Frequency Multi Slider Control Coil Type Octa Flex

Hob Type Induction Hob 2 (2kW - 2.8kW) - 190*190mm 2 (1,5kW - 2kW) - 190*190mm Coil Size & Power

Total Power 7.4 kW


2,8kW - 3,5kW - 7,4kW Power Limitation





























7170 FLOW-IN PRO X



Finish





Inox + Tempered Glass























Installation instructions:

Whit Drawer:



Whitout Drawer:



Hood Technical Data

Category Worktop Hoods Size

Duct Out Version Intern (Duct Out / Recirculation)

Performance Data

Max Flow Rate 610 (m³/h) Max Noise Level 69 dB(A) Total Absorbation 240W

U-Shaped Black Grease Filter + Optional Active Flex Carbon Filter + Optional Helsa Filter

Control Multi slider 96+B

Lighting

220x89 mm **Duct Size**

Technical Data

Power Stage Setting 4 Boosters Bridge Double Residual Heat Indicator Keep Warm Timer Automatic Safety Switch Off 90 Min Child Lock Yes Pause and Recall Yes 220-240V Voltage 50 / 60Hz Frequency Control Multi Slider Coil Type Octa Flex

Hob Type Induction Hob 2 (2kW - 2.8kW) - 190*190mm 2 (1,5kW - 2kW) - 190*190mm Coil Size & Power

Total Power 7.4 kW

2,8kW - 3,5kW - 7,4kW **Power Limitation**

Hob Colors








Inox









7170 FLOW-IN PRO X WHT





























2 (1,5kW - 2kW) - 190*190mm

2,8kW - 3,5kW - 7,4kW

7.4 kW

9 Levels

Hood **Technical Data**

Category Worktop Hoods 78-85cm Size

Duct Out Version Intern (Duct Out / Recirculation) Finish Inox + Tempered Glass

Performance Data

Max Flow Rate 610 (m³/h) Max Noise Level 69 dB(A) Total Absorbation 240W

U-Shaped Black Grease Filter + Optional Active Flex Carbon Filter Filter + Optional Helsa Filter

Multi slider 96+B

Control Lighting

Duct Size

220x89 mm

Hob Colors Grill Colors Grease Filter Colors








Hob Technical Data Power Stage Setting

Total Power

Power Limitation

4 Boosters Booster Bridge Double Residual Heat Indicator Keep Warm Yes Timer Yes Automatic Safety Switch Off 90 Min Child Lock Yes Pause and Recall Yes Voltage 220-240V Frequency 50 / 60Hz Control Multi Slider Coil Type Octa Flex Hob Type 2 (2kW - 2.8kW) - 190*190mm Coil Size & Power





7210 FLOW IN PRO X HIGHLIGHT



















Hood Technical Data

Category Worktop Hoods

Duct Out Version Intern (Duct Out / Recirculation)

Finish Ceramic Glass

Performance Data

Max Flow Rate 500 (m³/h) Max Noise Level 68 dB(A) Total Absorbation 240W

U-Shaped Black Grease Filter Filter + Optional Active Flex Carbon Filter + Optional Helsa Filter

Control Touch control

Lighting

220x89 mm **Duct Size**

Hob Colors Grill Colors Grease Filter Colors









Hob Technical Data

Power Stage Setting 9 Levels Bridge No Residual Heat Indicator Keep Warm Timer No Automatic Safety Switch Off 90 Min Child Lock Yes Pause and Recall No

Voltage 220-240V 50 / 60Hz Frequency Touch Control Control

Coil Type Radial Round Vitroceramic Hob Hob Type

> 1 (2.25kW - 11.5kW) - ø210mm (Dual Zone) 1 (1.8kW) - ø180mm

> > 27

Coil Size & Power 2 (1.2kW) - ø145mm

6.6 kW No Power Limitation













3412 SUPREME







Technical Data

Category Worktop Hoods

Size 85cm

Duct Out Version Intern (Duct Out / Recirculation) Aluminium + Tempered Glass

Performance Data

Max Flow Rate Max Noise Level 59 dB(A) Total Absorbation 150W

Stainless Steel Conic Filter + Active Carbon Filter

Control 4S Touch Control

Lighting


Duct Size 220x89mm

Filter





Natural Al Black Bright Gold









3416 FREE FLOW

Technical Data

Category Worktop Hoods 40cm

Size

Duct Out Version Intern (Duct Out / Recirculation)

Finish

Performance Data

Max Flow Rate: Max Noise Level: 66 dB(A)

Total Absorbation: 150W

Filter Stainless Steel Casette Filter + Active Carbon Filter

3S+1B Touch Control Control

Lighting

220x89mm **Duct Size**







3417 DOUBLE FLOW

Technical Data

Category Worktop Hoods Size

40cm

Duct Out Version Intern (Duct Out / Recirculation) Inox + Tempered Glass Finish

Performance Data

Max Flow Rate: 577 m³/h Max Noise Level: 71 dB(A) Total Absorbation: 150W

Stainless Steel Casette Filter + Active Carbon Filter Filter

4S Touch Control


Control

Lighting


Duct Size 220x89mm


Color


















3410 DOWNDRAFT











Technical Data

Category Worktop Hoods
Size 60 - 90 - 120cm

 Duct Out Version
 Intern (Duct Out / Recirculation)

 Finish
 Inox + Tempered Glass



Performance Data

Filter Stainless Steel Casette Filter + Active Carbon Filter

 Control
 3S+1B Touch Control

 Lighting
 4x1,1W Power LED

 Duct Size
 150mm


Color



LIGHTLINE

EYE-CATCHING ELEGANT DESIGN

The glass and thin aluminum frame combine with the light to provide stylish lighting. At the same time, it reflects the light perfectly with its smooth matte finish.



EASEOFUSEWITHTHE MOBILE APPLICATION

The mobile app can control the main functions of the hood such as airflow rate, lighting, up and down movements. It is also possible to use the application to adjust the tone of the functional lighting and change the color of the ambient lighting.

STRIKING COLORS THAT REFLECT ON THE CEILING





SUSPENDED HOODS













4390 **LIGHTLINE**

























Technical Data

Category Suspended Hood 120 cm Duct Out Veraion Intern (Recirculation) Inox + Tempered Glass

Performance Data

Max Flow Rate 600 m³/h Max Noise Level 58 dB(A) Total Absorbation 247 W

Aluminium Casette Filter + Active Carbon Filter


Control Application + Remote Control

87W LED Stripe (RGB + TW) Lighting









SUSPENDED HOODS















Technical Data

Category Suspended Hoods

Duct Out Version Intern (Duct Out / Recirculation)

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: Max Noise Level: 59 dB(A) Total Absorbation:

Aluminium Casette Filter + Optional Carbon Filter


3S+1B Smart Touch Control Control

+App

87W LED Stripe (TW) Lighting

Duct Size





















4386 PURE PLUS

Suspended Hoods

Intern (Recirculation)

Inox + Tempered Glass

Stainless Steel Casette Filter +

Active Carbon Filter

2S+1B Touch Control

2x2,5W D-LED

50cm

765 m³/h 64 dB(A)

Technical Data

Duct Out Version

Max Flow Rate:

Max Noise Level:

Total Absorbation:

Performance Data

Category

Size

Finish

Filter

Control


Lighting

Duct Size

























Technical Data

Suspended Hoods Category

Duct Out Version Intern (Duct Out / Recirculation) Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 655 m³/h Max Noise Level: 59 dB(A) Total Absorbation: 278W


Filter Aluminium Casette Filter +

Control 3S+1B Soft Remote Control

Lighting 2x1,5W G4 LED

Duct Size



















Technical Data

Suspended Hoods Category

Intern (Recirculation) **Duct Out Version** Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 64 dB(A) Max Noise Level: **Total Absorbation:** 90W

Filter Stainless Steel Casette Filter +

Control 2S+1B Touch Control Lighting 2x2,5W D-LED


Duct Size













ISLAND HOODS

















4207

Technical Data

Category Island Hoods
Size 90cm

 Duct Out Version
 Intern (Duct Out / Recirculation)

 Finish
 Inox + Tempered Glass


Performance Data

Max Flow Rate:738 m³/hMax Noise Level:62 dB(A)Total Absorbation:274W

Stainless Steel Casette Filter + Charcoal Carbon Filter

Control 3S+1B Touch Control
Lighting 2x4,5W LED Stripe

Duct Size 150mm



















4203

Color

Black White

Technical Data

Category Island Hoods
Size 90cm

 Duct Out Version
 Intern (Duct Out / Recirculation)

 Finish
 Inox + Tempered Glass

Performance Data


Max Flow Rate:702 m³/hMax Noise Level:63 dB(A)Total Absorbation:279W

Filter Aluminium Casette Filter + Optional Carbon Filter + Control 4S+1B Touch Control

Lighting 4x1,5W G4 LED

Duct Size 150mm







ISLAND HOODS







Technical Data









4110

Category

Size

Finish

Filter

Control

Lighting

Duct Size

Color

Inox Black

Technical Data

Duct Out Version

Max Flow Rate:

Max Noise Level:

Performance Data

Total Absorbation: 278W





Intern (Duct Out / Recirculation)

Aluminium Casette Filter +

Optional Carbon Filter

2x1,5W G4 LED

Island Hoods

60 - 90cm

765 m³/h

62 dB(A)

150mm

























Category Island Hoods 60 - 90cm Size

Intern (Duct Out / Recirculation) **Duct Out Version** Inox + Tempered Glass Finish

Performance Data

Max Flow Rate: 747 m³/h Max Noise Level: 64 dB(A) Total Absorbation:

Filter Aluminium Casette Filter + Optional Carbon Filter 3S+1B Soft Touch with Display


4x1,5W G4 LED Liahtina 150mm **Duct Size**

Color









Finish


4140

Max Flow Rate: 750 m³/h Max Noise Level: 65 dB(A) Total Absorbation: 278W

Aluminium Casette Filter + Optional Carbon Filter Filter Control 3S+1B Soft Touch with Display 2x1,5W G4 LED Lighting

Color































2<u>7.2 kg</u>

Technical Data


Category Island Hoods Size 90cm

Duct Out Version Intern (Duct Out / Recirculation) Inox + Tempered Glass

Performance Data

3S+1B Soft Touch with LCD

Duct Size 150mm



4170

Technical Data

Category Island Hoods Size 40cm

Duct Out Version Intern (Duct Out / Recirculation) Finish Inox

Performance Data

Max Flow Rate: 739 m³/h Max Noise Level: 63 dB(A) Total Absorbation:


Aluminium Casette Filter + Optional Carbon Filter Filter 3S+1B Soft Touch with Display Control 2x1,5W G4 LED

Lighting Duct Size 150mm

Color







4180

Technical Data Category

Island Hoods Size 40cm

Duct Out Version Intern (Duct Out / Recirculation) Finish Inox

Performance Data

Max Flow Rate: 700 m³/h Max Noise Level: 54 dB(A) Total Absorbation: 269W


Aluminium Casette Filter + Filter Optional Carbon Filter

Control 4S+1B Soft Touch with Display 2x1,5W G4 LED Lighting

Duct Size 150mm

Color













4204

Technical Data Category Island Hoods

Size 90cm

Duct Out Version Intern (Duct Out / Recirculation) Finish Inox + Tempered Glass

Performance Data


Max Flow Rate: 741 m³/h Max Noise Level: 64 dB(A) Total Absorbation: 289W

Stainless Steel Casette Filter + Filter Charcoal Carbon Filter

3S+1B Touch Control Control 14W Power LED Lighting Duct Size 150mm

Color









CEILING HOODS





















4227 ROOF

Duct Out Version Extern

Performance Data

Total Absorbation: /

Max Flow Rate:

Max Noise Level:

Technical Data

Category

Size

Finish



Ceiling Hoods

Tempered Glass

Aluminium Casette Filter

2S+2B Remote Control

100 - 120cm

786 m³/h

/

150mm











4229

Technical Data

Recirculation)

Tempered Glass

Aluminium Casette Filter + Optional Carbon Filter Filter

Control Lighting

Duct Size 150mm

Color

Black White

Color

Filter

Lighting

Duct Size













Category Ceiling Hoods Size 90 - 120cm

Duct Out Version Extern / Intern (Duct Out

Finish

Performance Data

Max Flow Rate: 773 m³/h Max Noise Level: 61 dB(A) Total Absorbation: 306W

3S+1B Remote Control 3x3,5W LED





Technical Data

4224

Category Ceiling Hoods Size 100 - 120cm

Duct Out Version Extern / Intern (Duct Out Recirculation)

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 476 m³/h Max Noise Level: 71 dB(A) Total Absorbation: 338W

Stainless Steel Casette Filter + Active Carbon Filter Filter

3S+1B Remote Control Control

6x3W LED Lighting **Duct Size**

Color



















4260 **NIGHT**

Technical Data

Duct Out Version

Category

Size

Finish

Max Noise Level: 62 dB(A) Total Absorbation: 290W

Filter Aluminium Casette Filter + Optional Carbon Filter

Ceiling Hoods

Tempered Glass

Extern / Intern (Duct Out


90cm


3S+1B Remote Control Control Lighting 15W Micro LED Duct Size 150mm


Color














CEILING HOODS

























































4261

Technical Data

Category Ceiling Hoods 60 -70 - 90cm Size

Duct Out Version (Duct Out / Recirculation)

Finish Inox + Tempered Glass

Performance Data

727 m³/h Max Flow Rate: 56 dB(A) Max Noise Level: Total Absorbation: 204W

Filter Aluminium Cassette Filter 3S+B Touch Control Control 9W LED Stripe Lighting

Color

Duct Size





Technical Data

Performance Data

649 m³/h

68 dB(A)

1x35W

Stainless Steel Casette Filter +

4S Remote Control

Max Flow Rate:

Max Noise Level:

Total Absorbation:

Size

Filter

Control

Lighting

Duct Size

Category Ceiling Hoods Category Ceiling Hoods 100 - 120cm 100 - 120cm Size Extern / Intern (Duct Out **Duct Out Version Duct Out Version** Recirculation) Recirculation) Finish Inox + Tempered Glass

Max Flow Rate: 590 m³/h Max Noise Level: Total Absorbation:

Filter Stainless Steel Casette Filter + Active Carbon Filter Control 4S Remote Control Lighting

Duct Size

Color







4266 SLIDE TO HEAVEN

Technical Data

Extern / Intern (Duct Out / Finish Inox + Tempered Glass

Performance Data

76 dB(A)

1x32W LED Stripe

Color



Technical Data

Category Ceiling Hoods Size 100 - 120cm

4264 SQUARE BOX

Intern (Duct Out / Recirculation) **Duct Out Version**

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 578 m³/h Max Noise Level: 73 dB(A) Total Absorbation:

Filter Stainless Steel Casette Filter + Active Carbon Filter

4S Remote Control Control 1x35W LED Stripe Lighting

Duct Size

Color



Black White

4263

Technical Data

Category Ceiling Hoods Intern (Duct Out / Recirculation) **Duct Out Version** Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 686 m³/h Max Noise Level: 67 dB(A) Total Absorbation: 234W


Filter Stainless Steel Casette Filter + Active Carbon Filter 3S+1B Remote Control Control 1x30W LED Stripe Lighting


Duct Size


Color





Black White


















3491 MANHATTAN













Technical Data

Category Wall Type Hoods Size 60-90cm

Duct Out Version Intern (Duct Out / Recirculation) Inox + Tempered Glass Finish

Performance Data


Max Flow Rate: 61 dB(A) Max Noise Level:


Aluminium Cassette Filter + Optional Carbon Filter Filter 3S+B Smart Touch Control Control

Lighting 150mm **Duct Size**

Color











3364 LINK FLAT

Technical Data

Wall Type Hoods Category 60-80cm

Duct Out Version Intern (Duct Out / Recirculation)

Optional Carbon Filter

Tempered Glass Finish

Performance Data

Max Flow Rate: Max Noise Level: 57 dB(A) Total Absorbation: 216W

Aluminium Casette Filter +

Control Touch Control Lighting 2x3W LED **Duct Size**


Color





















3457 LINK INCLINED

Technical Data

Category Wall Type Hoods 60-80-90cm

Duct Out Version Intern (Duct Out / Recirculation)

Inox + Tempered Glass Finish

Performance Data


Max Flow Rate: Max Noise Level: 62 dB(A) Total Absorbation: 281W

Aluminium Casette Filter + Optional Carbon Filter

Control Touch Control Lighting 2x3W LED **Duct Size**









2262 LUNA

Technical Data

Category Wall Type Hoods

80cm Size

Duct Out Version Intern (Duct Out / Recirculation)

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: Max Noise Level: 61 dB(A) Total Absorbation: 130W

Filter Aluminium Casette Filter +

Active Carbon Filter 3S+B Smart Touch Control Control

Lighting 1,4x4W LED Stripe

Duct Size 150mm














Color











3481

Technical Data

Category Wall Type Hoods Size 60-90cm

Intern (Duct Out / Recirculation) **Duct Out Version**

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: Max Noise Level: 64 dB(A)

Total Absorbation: 123W

Filter Aluminium Cassette Filter + Optional Carbon Filter

3S Touch control Control 2x1,5W Power LED Lighting

120mm

Duct Size





3480

Size

Finish

Filter

Control

Lighting

Duct Size

Color

Technical Data Category

Duct Out Version

Max Flow Rate:

Max Noise Level:

Performance Data

Total Absorbation: 128W

Wall Type Hoods

Intern (Duct Out / Recirculation) Inox + Tempered Glass

Aluminium Casette Filter + Optional Carbon Filter

3S Mechanical Push Button

2x1,5W Power LED

60cm


233m³/h

55 dB(A)

120mm

































3333 DECTON

Technical Data

Category Wall Type Hoods 60-80cm Size

Duct Out Version Intern (Duct Out / Recirculation)

Performance Data

Max Flow Rate: 669 m³/h Max Noise Level: 53 dB(A) Total Absorbation: 205W

Filter Aluminium Casette Filter + Optional Carbon Filter

3S+B Touch Control Control 10W Power LED Lighting

150mm Duct Size





62

















Color



















































3455

Category

Size

Filter

Control

Lighting

Duct Size

Color

Black

Technical Data

Duct Out Version

Max Flow Rate:

Max Noise Level:

Performance Data

Total Absorbation: 216W





Wall Type Hoods

60 - 80 - 90cm

631 m³/h

63 dB(A)

2x3W LED

150mm

Intern (Duct Out / Recirculation)

Inox + Tempered Glass

Aluminium Casette Filter +

Optional Carbon Filter

2S+1B Touch Control































3457

Technical Data

Category Wall Type Hoods 60 - 80 - 90cm Size

Duct Out Version Intern (Duct Out / Recirculation) Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 648 m³/h Max Noise Level: 63 dB(A) Total Absorbation:


Aluminium Casette Filter + Filter Optional Carbon Filter Control 2S+1B Touch Control 2x3W LED Lighting


150mm



Duct Size









Technical Data

Wall Type Hoods Category 60 - 80cm Size


Performance Data

Max Noise Level: 65 dB(A) Total Absorbation: 216W

Filter Optional Carbon Filter 3S Touch Control Control 2x3W LED Liahtina Duct Size










Duct Out Version Intern (Duct Out / Recirculation)

Max Flow Rate: 647 m³/h

Aluminium Casette Filter +



3450

Technical Data

Category Wall Type Hoods 60 - 90cm

Intern (Duct Out / Recirculation) **Duct Out Version** Inox + Tempered Glass Finish

Performance Data

Max Flow Rate: Max Noise Level: 65 dB(A) Total Absorbation: 216W


Aluminium Casette Filter + Filter Optional Carbon Filter Control 3S Touch Control Lighting 2x3W LED

Color

Duct Size



Black White



3444

Technical Data

Category Wall Type Hoods 60 - 90cm

Duct Out Version Intern (Duct Out / Recirculation) Finish Inox + Tempered Glass

Performance Data


Max Flow Rate: Max Noise Level: 64 dB(A) Total Absorbation: 216W

Filter Aluminium Casette Filter + Optional Carbon Filter 2S+1B Touch Control Control

Lighting 2x3W LED **Duct Size**

Color





596-796-896

3429

Technical Data

Category Wall Type Hoods 60 - 80 - 90cm

Intern (Duct Out / Recirculation) Duct Out Version

Finish Inox + Tempered Glass

Performance Data


Max Flow Rate: Max Noise Level: 65 dB(A) **Total Absorbation:** 281W

Filter Aluminium Casette Filter + Optional Carbon Filter Control 2S+1B Touch Control Lighting 2x3W LED

Duct Size 150mm

Color



















3423

Category

Size

Finish

Filter

Control

Lighting

Duct Size

Color

Black White

Technical Data

Duct Out Version

Max Flow Rate:

Max Noise Level:

Total Absorbation:

Performance Data



Wall Type Hoods

60 - 80 - 90cm

Tempered Glass

649 m³/h

68 dB(A)



Intern (Duct Out / Recirculation)

Aluminium Casette Filter +

Optional Carbon Filter

3S Touch Control

2x3W LED

150mm





























GERMAN DESIGN AWARD







3424

Finish

Technical Data

Category Wall Type Hoods 60 - 80 - 90cm Size **Duct Out Version** Intern (Duct Out / Recirculation)

Tempered Glass


Performance Data


Max Flow Rate: 634 m³/h Max Noise Level: 66 dB(A) Total Absorbation: Filter

Aluminium Casette Filter + Optional Carbon Filter 3S Touch Control Control 2x3W LED Liahtina 150mm **Duct Size**











Technical Data

Wall Type Hoods Category 60 - 80 - 90cm Intern (Duct Out / Recirculation) **Duct Out Version**

Tempered Glass Finish

Performance Data


Max Flow Rate: Max Noise Level: 67 dB(A) Total Absorbation: 216W

Filter Aluminium Casette Filter + Optional Carbon Filter 3S Touch Control Control Lighting 2x3W LED **Duct Size**

Color







3420

Technical Data Category

Wall Type Hoods Size 50 - 60 - 80 - 90cm **Duct Out Version** Intern (Duct Out / Recirculation) Finish Tempered Glass

Performance Data


Max Flow Rate: Max Noise Level: Total Absorbation: 216W

Filter Aluminium Casette Filter + Optional Carbon Filter 3S Touch Control Control 2x3W LED Lighting **Duct Size**

Color







3370

Finish

Technical Data

Category Wall Type Hoods 60 - 80 - 90cm Intern (Duct Out / Recirculation) **Duct Out Version**

Tempered Glass


Performance Data

Max Flow Rate: 679 m³/h Max Noise Level: Total Absorbation: 282W

Filter Aluminium Casette Filter + Optional Carbon Filter 3S+1B Touch Control Control 6W Power LED Lighting **Duct Size**

Color





3374

Technical Data

Category Wall Type Hoods Size 60 - 80 - 90cm Intern (Duct Out / Recirculation) **Duct Out Version**

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 614 m³/h Max Noise Level: 65 dB(A) Total Absorbation: 216W


Filter Aluminium Casette Filter + Optional Carbon Filter Control 3S Soft Touch with Display

Lighting 2x3W LED 150mm **Duct Size**

Color









3330

Category

Technical Data

60 - 80 - 90cm Size **Duct Out Version** Intern (Duct Out / Recirculation)

Wall Type Hoods

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: Max Noise Level: 65 dB(A) Total Absorbation: 282W

Filter Aluminium Casette Filter +

Optional Carbon Filter 3S+1B Soft Touch with Display Control

6W Power LED Lighting


Duct Size 150mm





Inox+

Black





3283

Technical Data

Wall Type Hoods Category 60 - 90cm

Duct Out Version Intern (Duct Out / Recirculation)

Inox + Tempered Glass Finish


Performance Data

Max Flow Rate: 649m³/h Max Noise Level: 67 dB(A) Total Absorbation: 216W

Filter Aluminium Casette Filter + Optional Carbon Filter

3S Mechanical Push Button Control

Lighting 2x3W LED **Duct Size** 150mm



Color

Black

Color

Inox















3265

Technical Data

Category Wall Type Hoods 60 - 80 - 90 - 120cm Size

Intern (Duct Out / Recirculation) **Duct Out Version**

Tempered Glass Finish



Performance Data

Max Flow Rate: 840m³/h Max Noise Level: 56 dB(A) Total Absorbation: 169W

Filter Aluminium Casette Filter + Optional Carbon Filter


3S+1B Touch Control Control 9W Power LED Lighting

150mm Duct Size









3180

Technical Data

Category Wall Type Hoods

100cm

Duct Out Version Intern (Duct Out / Recirculation)

Finish

Performance Data

Max Flow Rate: 783m³/h Max Noise Level: 66 dB(A) Total Absorbation: 284W

Filter Aluminium Casette Filter +

Optional Carbon Filter

3S+1B Soft Touch with Display Control

Lighting 3x3W LED **Duct Size** 150mm
















69



















WALL-MOUNTED HOODS





Technical Data

Category Wall Type Hoods 60 - 80 - 90cm Size **Duct Out Version** Intern (Duct Out / Recirculation)

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: Max Noise Level: 65 dB(A) Total Absorbation:


Aluminium Casette Filter + Optional Carbon Filter Filter 3S+1B Soft Touch with Display Control

2x1,5W G4 LED Lighting

Duct Size 150mm



contractor bood of the year 2011



Color

Black White Inox



3120

Technical Data

Category Wall Type Hoods

60 - 90cm

Duct Out Version Intern (Duct Out / Recirculation)

Finish


Performance Data

Max Flow Rate: 67 dB(A) Max Noise Level: Total Absorbation:

Aluminium Casette Filter +

Optional Carbon Filter 3S+1B Soft Touch with Display Control

2x3W LED Lighting 150mm Duct Size



















Category Wall Type Hoods 60 - 90cm


Duct Out Version Intern (Duct Out / Recirculation) Finish Inox + Tempered Glass


Performance Data

Max Flow Rate: 621m³/h Max Noise Level: 70 dB(A) Total Absorbation: 216W

Aluminium Casette Filter + Optional Carbon Filter Filter

3S Touch Control Control 2x3W LED Lighting Duct Size 150mm







2242

Technical Data

Category Wall Type Hoods Size 60 - 90cm

Duct Out Version Intern (Duct Out / Recirculation)

Performance Data


Max Flow Rate: 632m³/h 67 dB(A) Max Noise Level: Total Absorbation: 216W

Aluminium Casette Filter + Filter Optional Carbon Filter Control 3S Mechanical Push Button

1x3W Buji LED Lighting 150mm **Duct Size**



Color



71

























WALL-MOUNTED HOODS



























































2153

Technical Data

Wall Type Hoods Category

60cm Size

Duct Out Version Intern (Duct Out / Recirculation)

Finish

Performance Data


Max Flow Rate: Max Noise Level: 61 dB(A) Total Absorbation:


Aluminium Casette Filter + Filter Optional Carbon Filter 3S Mechanical Push Button Control

1x3W Bulb LED Lighting **Duct Size**

Color









Technical Data

Wall Type Hoods Category

60cm Size

Duct Out Version Intern (Duct Out / Recirculation)

Performance Data

Max Flow Rate: 291m³/h Max Noise Level: 63 dB(A) Total Absorbation: 131W

Filter Aluminium Casette Filter + Control 3S Mechanical Push Button

Lighting 2x3W Bulb LED **Duct Size**

Color



2180

Technical Data

Category Wall Type Hoods 60 - 90cm

Duct Out Version Intern (Duct Out / Recirculation)

Finish Inox

Performance Data


Max Flow Rate: Max Noise Level: Total Absorbation: 310W

Aluminium Casette Filter + Filter Optional Carbon Filter Control 3S Soft Touch with Display Lighting 2x50W Halojen Lamba

Color



Duct Size



3110

Technical Data

Wall Type Hoods Category 60 - 90cm

Intern (Duct Out / Recirculation) **Duct Out Version** Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: Max Noise Level: 65 dB(A) Total Absorbation: 216W

Filter Aluminium Casette Filter + Optional Carbon Filter 3S Soft Touch with Display Control

2x3W LED Lighting Duct Size

Color





Technical Data

Category Wall Type Hoods 60 - 80 - 90 - 120cm

Intern (Duct Out / Recirculation) **Duct Out Version** Finish

Performance Data

Max Flow Rate: 67 dB(A) Max Noise Level: Total Absorbation: 216W

Filter Aluminium Casette Filter + Optional Carbon Filter 3S Soft Touch with Display / Control Mechanical Push Button

Lighting 2x3W LED Duct Size 150mm

Color





3173

Technical Data

Wall Type Hoods Category 60 - 80 - 90 - 120cm Intern (Duct Out / Recirculation) **Duct Out Version**

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: Max Noise Level: 65 dB(A) Total Absorbation: 281W


Filter Aluminium Casette Filter + Optional Carbon Filter 2S+1B Touch Control Control 2x1,5W G4 LED Lighting

Duct Size

Color









WALL-MOUNTED HOODS



















Technical Data

Category Wall Type Hoods 60-80-90cm Size

Duct Out Version Intern (Duct Out / Recirculation)

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 648m³/h 66 dB(A) Max Noise Level: Total Absorbation: 277W

Aluminium Casette Filter + Optional Carbon Filter Filter


Control Touch Control Lighting 2W LED 150mm **Duct Size**

Color

















3182 MILA

Technical Data

Category Wall Type Hoods 60-80-90cm Size

Duct Out Version Intern (Duct Out / Recirculation) Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 425m³/h Max Noise Level: 63 dB(A) Total Absorbation: 277W


Aluminium Casette Filter + Optional Carbon Filter Filter Control Touch Control

Lighting 2W ECO LED 150mm **Duct Size**

Color



Black Inox









Vapor Sensor

The sensor increases or decreases the suction speed of the product by detecting the density of the food vapor.

Easily Emptied Water Collector

Accumulated water can be easily drained with a small bowl



Anti-Condensation

Inside Pro solves the condensation problem during the cooking experience with induction hobs.

With the anti-condensation key, the heater is activated and condensation is prevented.

The resistors prevent condensation on the surface by reducing the temperature difference between vapor and metallic components.



Drop Control Filter And Water Tank

The filter keeps the condensation formed during cooking and the condensed water flows into the water tank thanks to the filter angle.

Even if the product is exposed to intense steam, water does not drip from the filter.









3129 INSIDE PRO

DROP CONTROL











Technical Data

Category Built-in Hood 60-90-120 cm

Duct Out Veraion Intern (Duct Out/Recirculation) Inox + Tempered Glass

Performance Data

Max Flow Rate 648 m³/h (60cm) / 635 m³/h (90&120cm)

Max Noise Level 64 dB(A) Total Absorbation 125 W


Stainless Steel Casette Filter + Optional Carbon Filter Filter

3S Touch Control Control Lighting 1x8 W LED Stripe

150 mm **Duct Size**

Color























3129 INSIDE 4 DROP CONTROL

Technical Data

Category Suspended Hood Size 60-90-120 cm

Duct Out Veraion Intern (Duct Out/Recirculation) Inox + Tempered Glass Finish


Performance Data

628 m³/h Max Flow Rate Max Noise Level 64 dB(A) Total Absorbation 220 W

Stainless Steel Casette Filter + Optional Filter Carbon Filter

3S Touch Control Control Lighting 1x10 W LED Stripe

Duct Size 150 mm



Color

Color

3129 INSIDE 3S DROP CONTROL

Technical Data

Category Built-in Hoods Size 60 - 90 - 120cm


Intern (Duct Out / Recirculation) **Duct Out Version** Inox + Tempered Glass

Performance Data

Max Flow Rate: Max Noise Level: 64 dB(A) Total Absorbation: 213W

Stainless Steel Casette Filter + Optional Carbon Filter

3S Touch Control Control Lighting 2x1,5W LED **Duct Size** 150mm



Color

Color

Inox Black

Inox Black

3129 INSIDE 3 DROP CONTROL

Technical Data

Category Built-in Hoods 60 - 90 - 120cm Size

Intern (Duct Out / Recirculation) **Duct Out Version**

Inox + Tempered Glass

Performance Data


Max Flow Rate:

Max Noise Level: 64 dB(A) Total Absorbation:

Stainless Steel Casette Filter + Optional Carbon Filter Filter

3S Touch Control Control 1x10W LED Stripe Lighting

Duct Size 150mm





3129 INSIDE 1

Technical Data

Built-in Hoods Category 60 - 90 - 120cm

Duct Out Version Intern (Duct Out / Recirculation) Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 465 m³/h 64 dB(A) Max Noise Level: Total Absorbation:

Aluminium Casette Filter + Opti-Filter onal Carbon Filter

Control 3S Slider Control 2x1,5W G4 LED Lighting

150mm **Duct Size**
















82

























































1182 LIGHTFACE

Technical Data

Category Built-in Hoods Size

Intern (Duct Out / Recirculation) Duct Out Version Inox + Tempered Glass Finish


Performance Data


Max Flow Rate: Max Noise Level: 69 dB(A) Total Absorbation: 287W Stainless Steel Casette Filter + Optional Carbon Filter

2S+1B Touch Control Control 1x12W LED Lighting **Duct Size**

Color









Technical Data Built-in Hoods Category 60 - 90cm

Duct Out Version Intern (Duct Out / Recirculation) Finish Inix + Tempered Glass

Performance Data

Max Flow Rate: 703 m³/h Max Noise Level: Total Absorbation:

Filter Stainless Steel Casette Filter + Optional Carbon Filter

2S+1B Touch Control Control 1x9W LED Stripe Lighting **Duct Size**

Color



Black White

1176

Technical Data

Category Built-in Hoods Size 60 - 70 - 90cm

Duct Out Version Intern (Duct Out / Recirculation)

Finish Tempered Glass

Performance Data

Max Flow Rate: 708 m³/h Max Noise Level: Total Absorbation: 281W

Filter Aluminium Casette Filter + Optional Carbon Filter


Control 3S+1B Soft Touch with Display

Lighting 6W Power LED **Duct Size**

Color







1171

Technical Data

Built-in Hoods Category Size 52cm

Duct Out Version Intern (Duct Out / Recirculation)

Finish

Performance Data

Max Flow Rate: Max Noise Level: Total Absorbation:

Filter Aluminium Cassette Filter + Optional Carbon Filter

3S Mechanical Slider Control 2x3W LED Lighting

Duct Size

Color









Technical Data

1175

Category Built-in Hoods 60 - 90cm

Duct Out Version Intern (Duct Out / Recirculation)

Inox + Tempered Glass Finish

Performance Data

Max Flow Rate: Max Noise Level: 64 dB(A) Total Absorbation:

Stainless Steel Casette Filter + Optional Carbon Filter

Control 5S Soft Touch with Display 4x1,1W Power LED Lighting

Color



1162

Technical Data

Category Built-in Hoods

Duct Out Version Intern (Duct Out / Recirculation)

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: Max Noise Level: 65 dB(A) Total Absorbation:

Aluminium Casette Filter +


Optional Carbon Filter

3S Touch Control Control 2x1,5W G4 LED Lighting

Duct Size

Color

















































1151



















1144

Technical Data

Built-in Hoods Category Size 60-90cm

Duct Out Version Intern (Duct Out / Recirculation) Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 648 m³/h 67 dB(A) Max Noise Level: Total Absorbation: 216W

Aluminium Casette Filter + Filter Chorcoal Carbon Filter 3S Touch Control Control

2x3W LED Lighting **Duct Size** 150mm









Technical Data

Category Built-in Hoods Size 60cm

Duct Out Version Intern (Duct Out / Recirculation)

Finish Inox + Tempered Glass

Performance Data

Max Flow Rate: 483 m³/h Max Noise Level: 68 dB(A) Total Absorbation: 254W

Aluminium Casette Filter + Filter Chorcoal Carbon Filter

Control 3S Touch Control / Rocker 2x3W Halojen LED Lighting 120mm

Duct Size

Color



1190

Technical Data

Built-in Hoods Size 60 - 90cm

Duct Out Version Intern (Duct Out / Recirculation)

Finish Inox

Performance Data

Max Flow Rate: 410 m³/h Max Noise Level: 69 dB(A) Total Absorbation: 126W

Filter Aluminium Casette Filter + Chorcoal Carbon Filter

3S Rocker Control 2x3W LED Lighting Duct Size 120mm

Color







Category

Technical Data Category

Size 60cm

> **Duct Out Version** Intern (Duct Out / Recirculation)

Built-in Hoods

Finish Inox

Performance Data

Max Flow Rate: 483 m³/h Max Noise Level: 68 dB(A) Total Absorbation: 256W

Aluminium Casette Filter + Chorcoal Carbon Filter Filter

3S Touch Control / Rocker Control Lighting 2x3W LED

Duct Size 120mm

Color





1201

Technical Data Category

Built-in Hoods Size 60cm

Duct Out Version Intern (Duct Out / Recirculation)

Inox

Finish

Performance Data

Max Flow Rate: 483 m³/h Max Noise Level: 68 dB(A) Total Absorbation: 254W

Aluminium Casette Filter + Filter Optional Carbon Filter 3S Mechanical Push Button Control

2x2W Bulb LED Lighting Duct Size 120mm

Color



1200

Technical Data

Category Built-in Hoods Size 50-60-90cm

Duct Out Version Intern (Duct Out / Recirculation) Finish Inox

Performance Data

Max Flow Rate: 215 m³/h Max Noise Level: 67 dB(A) Total Absorbation:

Aluminium Casette Filter + Filter Optional Carbon Filter

3S Mechanical Push Button Control Lighting


1x3W Buji LED


Color























EXTERNAL MOTORS











1240

Technical Data

Extern Motor Category Finish

Performance Data

Max Flow Rate: 800 m³/h Total Absorbation: 275W 150mm **Duct Size**

1250

Color

Technical Data

Category Extern Motor

Performance Data

Max Flow Rate: 1400 m³/h Total Absorbation: 550W Duct Size 200mm

1260

Color

Technical Data

Category Extern Motor

Performance Data

Max Flow Rate: 1000 m³/h Total Absorbation: 280W Duct Size 150mm

1270

Technical Data

Category Extern Motor Finish

Performance Data

Max Flow Rate: 950 m³/h Total Absorbation: 200W Duct Size

1280

Technical Data

Category Technology Finish Inox

Performance Data

Duct Size 150mm

Color




Color


Inox


Color


















REMOTE CONTROLS

CURVED REMOTE CONTROL





ERGONOMICS

Curved design which fits ergonomics of hand perfectly.

USER-FRIENDLY

Control all of the hood features at a touch.


RECHARGEABLE

Lithium battery, rechargeable by the included micro USB cord.

MAGNETIC


Magnets placed inside the body allow it to be securely placed on any metal surface.

STANDARD REMOTE CONTROL





















2238

Technical Data

Category Retro Hoods 60 - 90cm Size

Duct Out Version Intern (Duct Out / Recirculation)

Finish

Performance Data

Max Flow Rate: 636 m³/h Max Noise Level: Total Absorbation: 216W


Aluminium Casette Filter + Optional Carbon Filter Filter Control 3S Mechanical Push Button

2x3W LED Lighting 150mm Duct Size









RFTRO SERIES



























































RS5336C01

Hob Features Built-in

70cm Beige

Comfort Features Cast Iron Pans Supports

4 Gas Burners 1 WOK Auto Ignition Front Mechanical Control

Safety

Other Features

Product Dimensions (WxDxH): 680 x 500 x 90mm Cut Out Dimensions (WxDxH): 553 x 473mm 1 x WOK burner: 3300 W 1 x Rapid burner: 3000 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 10800 W Gas Type: NG NG/LPG Options

RS5322C01

Hob Features Built-in

60cm Beige

Comfort Features

Cast Iron Pans Supports 3 Gas Burners 1 WOK Auto Ignition Front Mechanical Control

Safety

Other Features

Product Dimensions (WxDxH): 580 x 500 x 35mm Cut Out Dimensions (WxDxH): 553 x 473mm

1 x WOK burner: 3300 W 1 x Rapid burner: 3000 W 1 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 9050 W

Gas Type: NG NG/LPG Options

RS5322B01

Hob Features Built-in

60cm Black

Comfort Features Cast Iron Pans Supports 3 Gas Burners 1 WOK

Auto Ignition Front Mechanical Control

Safety

Other Features

Product Dimensions (WxDxH): 580 x 500 x 35mm Cut Out Dimensions (WxDxH): 553 x 473mm 1 x WOK burner: 3300 W 1 x Rapid burner: 3000 W 1 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 9050 W

Gas Type: NG

NG/LPG Options

RS5336B01

Hob Features Built-in

70cm Black

Comfort Features Cast Iron Pans Supports

4 Gas Burners 1 WOK Auto Ignition Front Mechanical Control

Safety

Other Features

Product Dimensions (WxDxH): 680 x 500 x 90mm

Cut Out Dimensions (WxDxH): 553 x 473mm

1 x WOK burner: 3300 W 1 x Rapid burner: 3000 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 10800 W Gas Type: NG

NG/LPG Options

RS5322R01

Hob Features Built-in 60cm

Bordeaux

Comfort Features Cast Iron Pans Supports 3 Gas Burners 1 WOK

> Auto Ignition Front Mechanical Control

Safety

Other Features

Product Dimensions (WxDxH): 580 x 500 x 35mm Cut Out Dimensions (WxDxH): 553 x 473mm

1 x WOK burner: 3300 W 1 x Rapid burner: 3000 W 1 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 9050 W

Gas Type: NG NG/LPG Options

RS5336R01

Hob Features Built-in 70cm

Bordeaux

Comfort Features Cast Iron Pans Supports

4 Gas Burners 1 WOK Auto Ignition

Front Mechanical Control


Safety


Product Dimensions (WxDxH): Other Features


680 x 500 x 90mm Cut Out Dimensions (WxDxH):


553 x 473mm 1 x WOK burner: 3300 W 1 x Rapid burner: 3000 W 2 x Semi-rapid burner: 1750 W


1 x Auxiliary burner: 1000 W Maximum Power: 10800 W Gas Type: NG NG/LPG Options















99

RETRO SERIES













RS6507R01

RS6507C01

RS6507B01

MW9033R02

MW9033C02

MW9033B02



Built-in Electric Oven Oven Type

72 liter A Energy class

Cooking Functions 8 functions 3D Airmove

Rapid pre-heating

Maxi grill, thermostat, turbo fan

Cooling fan

Cleaning

Accessories

Self Clean Steam Clean Easy Extract

Comfort Analog Timer (automatic cooking time end closure)

2 Rustic style knobs Screen child lock Removable side racks Telescopic rail Oven light Double glass door

1 chrome grid, 1 deep and 1 standard tray

Airfry tray (optional)

595x547x595 Dimensions






















Built-In Microwave Microwave Type 20 Lt Capacity

Microwave + Grill cooking Cooking Function

Comfort 3 Combination power settings 30 minutes mechanic timer

Cooking end signal

Pull handle door, defrost setting

Safety

Others Power output 800w


1100W grill Glass turntable Metal rack

Stainless cavity and silver























2120

Technical Data

Category Retro Hoods

Size 60 - 90cm

Duct Out Version Intern (Duct Out / Recirculation)

Finish Inox

Performance Data

Max Flow Rate: 648 m³/h
Max Noise Level: 68 dB(A)
Total Absorbation: 216W

Filter Aluminium Casette Filter + Optional Carbon Filter

Control 3S Mechanical Push Button

Lighting 2x3W LED

Duct Size 150mm


Color







White Black Beige Claret Inox Red



VINTAGE SERIES









ARO5620W01

ARO5620C01

Hob Features Built-in 60cm

Black / White / Beige

Comfort Features Enamel Pan Supports

4 Gas Burners Auto Ignition

Side Mechanical Control

Safety Gas Cutting Safety

Other Features Product Dimensions (WxDxH): 680 x 500 x 90mm

Cut Out Dimensions (WxDxH):

553 x 473mm

1 x Rapid burner: 3000 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 10800 W

Gas Type: NG NG/LPG Options




















ARF6607B01

ARF6607W01

ARF6607C01



Oven Type Built-in Electric Oven

72 liter

A Energy class

Cooking Functions 6 functions

Maxi grill, thermostat, turbo fan

Rapid pre-heating

Cooling fan

Cleaning Self clean, steam clean, easy extract

Comfort

Accessories

Mechanical timer Removable side racks Oven light

1 chrome grid, 1 deep, 1 standard tray

Triple glass door

Dimensions 595x547x595














































LARGE CAVITY SIZE

It gives flexibility to prepare larger meals with its 72 liter net volume.



SILVERLINE







SELFCLEAN +

The quick and easy option for effortless cleaning thanks to catalytic panels. The back and side wall panels absorbs dirt that splashes from food.



SELFCLEAN

Above advantage is available only for back wall.





EASY CLEANING

The easy cleaning for day to day maintenance.





ANTI - FINGER INOX

Anti-finger inox surface provides comfort in cleaning.





SOFT CLOSE

It slows down the movement of the door and ensures your oven door closes gently.



SOFT OPEN CLOSE

It slows down the movement of the door and ensures your oven door opens and closes gently.





EASY EXTRACT

It enables to remove easily the front glass panels of the oven.





STEAM CLEAN

The heat turns water into steam and softens food residuals for easy cleaning.

LEGENDS

OVENS













S5 T - BO65T5B01

S5 T - BO65T5X01

S5 T - BO65T5W01





S5 T - BO65T5S01

S5 T - BO65T5M01



Oven Type Built-in Electric Oven

72 liter A+ Energy class

Cooking Functions 14 functions 3D Airmove

Pizza Chef

Rapid pre-heating

Maxi grill, thermostat, turbo fan Keep warm function

Eco mode for energy saving

Cooling fan

Cleaning Self Clean+ Steam Clean

Easy Extract

Anti-finger inox (BO6505X02)

Comfort Advanced LED screen touch button control

Screen child lock Removable side racks 2 telescopic rails Oven light

Meat probe which enables to measure the

meat's cooking degree Triple glass door (Cool Door)

Soft Close Door

Accessories 1 chrome grid, 1 deep and 1 standard tray

Airfry tray (optional) Pizza stone (optional)

595x547x595 Dimensions
































Oven Type Built-in Electric Oven

72 liter

A+ Energy class

Cooking Functions 14 functions

3D Airmove Pizza Chef

Rapid pre-heating

Maxi grill, thermostat, turbo fan Keep warm function Eco mode for energy saving

Cooling fan

Cleaning Self Clean+

Steam Clean Easy Extract

Comfort Advanced LED screen touch button control

Screen child lock Removable side racks 2 telescopic rails Oven light

Meat probe which enables to measure the

meat's cooking degree Triple glass door (Cool Door)

Soft Close Door

Accessories 1 chrome grid, 1 deep and 1 standard tray

Airfry tray (optional) Pizza stone (optional)

595x547x595

Dimensions













MULTIFUNCTION ELECTRIC OVENS









S5 - BO6505X01

S5 - BO6505W01



Oven Type Built-in Electric Oven 72 liter

A+ Energy class

Cooking Functions 14 functions

3D Airmove

Pizza Chef Rapid pre-heating

Maxi grill, thermostat, turbo fan

Keep warm function Eco mode for energy saving

Cooling fan

Self Clean+ Cleaning

Steam Clean Easy Extract

Anti-finger inox (BO6505X01)

Comfort Advanced LED screen touch button control Endless ring navigator knob control

Screen child lock

Removable side racks

2 telescopic rails Oven light

Meat probe which enables to measure the

meat's cooking degree Triple glass door (Cool Door)

Soft Close Door

1 chrome grid, 1 deep and 1 standard tray Accessories Airfry tray (optional)

Pizza stone (optional)

595x547x595 Dimensions


































S5 - BO6505S01

S5 - BO6505M01



Oven Type Built-in Electric Oven 72 liter

A+ Energy class

Cooking Functions 14 functions 3D Airmove

Pizza Chef

Rapid pre-heating

Maxi grill, thermostat, turbo fan

Keep warm function Eco mode for energy saving

Cooling fan

Cleaning Self Clean+

Steam Clean Easy Extract

Comfort Advanced LED screen touch button control

Endless ring navigator knob control Screen child lock Removable side racks 2 telescopic rails

Oven light Meat probe which enables to measure the

meat's cooking degree Triple glass door (Cool Door)

Soft Close Door

Accessories 1 chrome grid, 1 deep and 1 standard tray Airfry tray (optional)

Pizza stone (optional)

595x547x595





















Crispy on the outside and soft on the inside!

Silverline S4 Steam Assisted Ovens offer the feature of adding water during cooking without opening the oven door, preventing moisture loss for your meals while preparing crispy outside and soft inside.



STEAM ASSISTED OVENS











S4 Steam BO65P4B01

S4 Steam BO65P4X01

S4 Steam BO65P4W01



Built-in Electric Oven Oven Type 72 liter

A Energy class

Cooking Functions 8 functions

3D Airmove Steam Cooking

Rapid pre-heating

Maxi grill, thermostat, turbo fan

Cooling fan

Cleaning Self Clean

Steam Clean Easy Extract

Anti-finger inox (BO6504X01)

Comfort Advanced digital timer - Alarm and time prog-

rammer

2 push-pull knobs Screen child lock Removable side racks

1 chrome grid, 1 deep, 1 standard and 1 airfry tray

Telescopic rail Oven light

Double glass door

Dimensions 595x547x595

Accessories
























S4 Steam BO65P4M01



Built-in Electric Oven Oven Type

72 liter

A Energy class

Cooking Functions 8 functions

3D Airmove Steam Cooking

Rapid pre-heating

Maxi grill, thermostat, turbo fan

Cooling fan

Cleaning Self Clean

Self Clean + Steam Clean Easy Extract

Comfort Advanced digital timer - Alarm and time prog-

rammer

2 push-pull knobs Screen child lock Removable side racks Telescopic rail Oven light Double glass door

1 chrome grid, 1 deep, 1 standard and 1 airfry tray Accessories

Dimensions 595x547x595

















3D TO 8







S4 - BO6504B01

S4 - BO6504X01

S4 - BO6504W01





S4 - BO6504S01

S4 - BO6504M01



Oven Type Built-in Electric Oven

72 liter A Energy class

Cooking Functions 8 functions 3D Airmove

Rapid pre-heating

Maxi grill, thermostat, turbo fan

Cooling fan

Cleaning

Accessories

Self Clean Steam Clean Easy Extract

Anti-finger inox (BO6504X01)

Comfort Advanced digital timer - Alarm and time

programmer 2 push-pull knobs Screen child lock Removable side racks Telescopic rail Oven light

Double glass door

1 chrome grid, 1 deep and 1 standard tray Airfry tray (optional)

Dimensions 595x547x595



























72 liter A Energy class

Cooking Functions 8 functions

3D Airmove Rapid pre-heating

Maxi grill, thermostat, turbo fan

Cooling fan

Cleaning Self Clean

Self Clean + Steam Clean Easy Extract

Advanced digital timer - Alarm and time programmer

2 push-pull knobs Screen child lock Removable side racks Telescopic rail Oven light Double glass door

Accessories 1 chrome grid, 1 deep and 1 standard tray

Airfry tray (optional)

Dimensions 595x547x595



Comfort

































S3 - BO6503B01

S3 - BO6503X01

S3 - BO6503W01

S3 - BO6503S01

S3 - BO6503M01



Oven Type Built-in Electric Oven

72 liter A Energy Class

Cooking Functions 8 functions 3D Airmove

Rapid pre-heating

Maxi grill, thermostat, turbo fan

Cooling fan

Cleaning

Self Clean Steam Clean Easy Extract

Anti-finger inox (BO6503X01)

Comfort Mechanical timer

3 push-pull knobs Removable side racks Telescopic rail Oven light Double glass door

1 chrome grid, 1 deep and 1 standard tray Accessories

Airfry tray (optional)

595x547x595 Dimensions


























Oven Type Built-in Electric Oven 72 liter

A Energy Class

Cooking Functions 8 functions 3D Airmove

Rapid pre-heating Maxi grill, thermostat, turbo fan

Cooling fan

Cleaning Self Clean Steam Clean

Easy Extract

Comfort Mechanical timer 3 push-pull knobs

Removable side racks Telescopic rail Oven light Double glass door

Accessories 1 chrome grid, 1 deep and 1 standard tray

Airfry tray (optional)

595x547x595 Dimensions














































S1 - BO6501B01

S1 - BO6501X01

S1 - BO6501W01



Built-in Electric Oven Oven Type

72 liter A Energy Class

Cooking Functions 6 functions Rapid pre-heating

Maxi grill, thermostat, turbo fan

Cooling fan

Steam Clean Cleaning

Easy Extract

Anti-finger inox (BO6502X01)

Comfort Digital timer - Alarm and time programmer 2 standard knobs

Removable side racks

Double glass door

Accessories 1 chrome grid, 1 deep and 1 standard tray

Dimensions 595x547x595




















Oven Type

72 liter

Built-in Electric Oven

A Energy Class

Cooking Functions 6 functions

Rapid pre-heating

Maxi grill, thermostat, turbo fan

Cooling fan

Cleaning Steam Clean

Easy Extract

Anti-finger inox (BO6501X01)

Comfort 2 standard knobs

Removable side racks Oven light Double glass door

Accessories 1 chrome grid, 1 deep and 1 standard tray

Dimensions 595x547x595




















BUILT-IN ELECTRIC OVENS



BO6284B01













Oven Type Built-in Electric Oven 72 liter

A+ Energy class

12 functions / 3D Airmove / Pizza Chef Maxi grill, thermostat, turbo fan / Eco mode Cooking Functions

for energy saving / Rapid pre-heating / Top + Bottom / Ring heater + Fan / Defrost / Top + Fan / Bottom / Light /

Dough Proving

Easy Extract Pyrolitic (function) Cleaning

Comfort Advanced White LED screen touch control


Screen child lock Removable side racks Telescopic runners Oven light 4 glass door

Low-e Glass

1 chrome grid and 1 deep tray Accessories

595x546x596







BO6288B01













Built-in Electric Oven 70 liter Oven Type

A Energy class

Cooking Functions 9 functions / 3D Airmove /

Maxi grill, thermostat, turbo fan / Eco mode for energy saving / Top + Bottom / Ring heater + Fan / Defrost / Top + Fan / Bottom / Light

Cleaning Easy Extract

Pyrolitic (function)


Comfort Advanced White LED screen touch control

Screen child lock Removable side racks Telescopic runners Oven light 4 glass door Cooling fan Low-e Glass

1 chrome grid and 1 deep tray Accessories

595x575x595 Dimensions





BUILT-IN ELECTRIC OVEN WITH MICROVAWE / BUILT-IN WARMING DRAWER





BO6283B01







50 liter

Cooking Functions

Auto menu: 13 (fresh vegetables, potato peeled/cooked, baked potatoes, chicken pieces, apple pie, quiche, reheat soup, reheat plate, reheat sauce, frozen pizza, frozen

chips, lasagna)

Microwave / Pizza Chef / Rapid pre-heating Maxi grill, mini grill, thermostat, turbo fan Top + Bottom / Ring heater + Fan / Top + Bottom + Fan / Defrost / Bottom / Light /

Dough Proofing

Cleaning

Comfort Advanced White LED screen touch control

Screen child lock (function)

Oven light Triple glass door Cooling fan

Accessories 1 chrome grid, 1 glass and 1 standard tray

595x568x454 Dimensions





221

Functions

H19003B01



22 liter Push Open Door

Black Glass + Stainless Steel Out Look

Glass/cup heating (40/45/50//60°C) Dishes/plates heating (60/65/70/75/80°C)

Keep warm (60/65/70/75/80°C)

Yoghourt (40°C 6-8 hours)

Defrost (30°C)

Stainless Steel Cavity

Slow cook (60°C for meat mid cooked) Melt chocolate (60°C)

Sterilizing (80°C 30-60 min)


Comfort Advanced White LED Screen

Touch Control

Adjustable temperature range 30-80°C Up to 6 hr. Timer

129

595x561mm (Oven + Frame Overall Exterior Dimensions



GAS **OVENS**









BO6085X01



Oven Type Built-in Gas Oven 45 liter

Gas Top and Gas Bottom Heating

Cooking Functions 3 functions

Turnspit (Optional) Cooling fan

Cleaning

Comfort Digital timer - Alarm and time

programmer 2 standard knobs Automatic Ignition Flame Failure Device Oven light Double glass door

Accessories 1 chrome grid, 1 deep tray

Dimensions 595x540x595

BO6087X01



Oven Type Built-in Gas Oven

45 liter Gas Top and Gas Bottom Heating

out top and out bettern nearing

Cooking Functions 3 functions Turnspit (Optional) Cooling fan

Cleaning /

Comfort

2 standard knobs Automatic Ignition

Flame Failure Device Oven light Double glass door

Accessories 1 chrome grid, 1 deep tray

Dimensions 595x540x595

BO6277X01



Oven Type

Built-in Gas Oven

88 liter

Gas Top and Gas Bottom Heating

Cooking Functions 3 functions

Turnspit Turbo fan

Cleaning

Comfort Mechanical timer

Oven light Double glass door

Accessories 1 chrome grid, 1 standard tray

Dimensions 895x551x594

BO6277B01



Oven Type Built-in Gas Oven

88 liter

Gas Top and Gas Bottom Heating

Cooking Functions 3 functions

Turnspit Turbo fan


Cleaning


Comfort Mechanical timer


Oven light Double glass door


Accessories 1 chrome grid, 1 standard tray

Dimensions 895x551x594









131

FREE STANDING COOKERS

FO6263W01

FO6263I01











Free-Standing Gas Oven 50x60, 50x60 or 60x60 size Oven Type

Electric Top and Gas Bottom

Heating

Cooking Functions 4 Gas Burners Turnspit

Cleaning

Comfort Glass Top Lid

Enamel Pan Support Automatic Ignition Oven light

Double Glass Oven Door Adjustable feet

Accessories 1 chrome grid, 1 standard tray

FO6278W01

FO6279W01













Free-Standing Electric Oven Oven Type 50x60 or 60x60 size options

Cooking Functions 4 Hot Plates (FO6278W01) 4 VTC zones (FO6279W01) Turnspit (Optional)

Thermostat Turbo fan (Optional) (FO6278W01)

Cleaning

Comfort Oven light

Double Glass Oven Door

1 chrome grid, 1 standard tray Accessories

Dimensions





MICROWAVE OVENS













8 Program 34 Liter 5 Level

8

25 Liter 5 Level 8 25 Liter

8

23 Liter 8 Program

Safety

23 Liter

5 Level 23

5 Seviye

MW9025X01

Microwave Type Built-In Microwave 34 Lt Capacity

Cooking Function Microwave + Grill cooking Multi-cooking function

8 auto cooking programs
2 combination cooking programs

Comfort 95 Minute timer

5 microwave power levels Cooking end signal

Quick start Defrost by weight and time Door Release Button

Safety Child safety lock

Others Anti finger stainless steel control

panel and front exterior White colour LED digital display 1550W input microwave power

1000 W grill power Stainless steel interior Metal rack

Glass turntable

Silver Buttons + Aluminum Dial Push Pull Knob

MW9013X01

Microwave Type Built-In Microwave 25 Lt Capacity

Cooking Function Microwave + Grill cooking

Multi-cooking function Pre-set Cooking

8 auto cooking programs 2 combination cooking programs (microwave & grill)

Comfort Digital Clock / 95 min. non-

segment digital timer
5 microwave power levels
Cooking end signal

Quick start Auto defrost function Push-out door

Safety

ety Child safety lock

Others 1450W input microwave power

1000 W grill power Stainless steel interior / frontal

Stainless steel built-in frame

Metal rack Glass turntable

MW9024S01

Microwave Type Built-In Microwave 25 Lt Capacity

Cooking Function Microwave + Grill cooking

Multi-cooking function 8 auto cooking programs

2 combination cooking programs

(microwave & grill)

5

Digital Clock / 95 min. non-

segment digital timer
5 microwave power levels
Cooking end signal

Quick start

Defrost by weight and time

Safety Child safety lock

Others

White colour LED digital display 1450W input microwave power

1000 W grill power

Stainless steel interior / window glass frontal panel

Metal rack Glass turntable Aluminum Handle Door MW9018B01

Microwave Type Built-In Microwave

23 Lt Capacity

Cooking Function Microwave + Grill cooking Multi-cooking function

8 auto cooking programs
2 combination cooking programs

(microwave & grill)

5

Pre-set Cooking

Comfort Digital Clock / 95 min. non-

segment digital timer

5 microwave power levels Cooking end signal

Quick start Auto defrost function

Safety Child safety lock

Others 1400W input microwave power

1000 W grill power Metal rack Glass turntable Stainless steel interior

Black glass built-in frame

MW9018X01

Microwave Type Built-In Microwave 23 Lt Capacity

Cooking Function Microwave + Grill cooking Multi-cooking function

8 auto cooking programs
2 combination cooking programs

(microwave & grill) Pre-set Cooking

Comfort Digital Clock / 95 min. non-

segment digital timer 5 microwave power levels

Cooking end signal Quick start

Child safety lock

Auto defrost function

Others 1400W input microwave power

1000 W grill power Metal rack Glass turntable Stainless steel interior

Black glass built-in frame

MW9018W01

8

Comfort

Others

Microwave Type Built-In Microwave 23 Lt Capacity

Cooking Function Microwave + Grill cooking

Multi-cooking function 8 auto cooking programs

8 auto cooking programs
2 combination cooking programs

(microwave & grill)

Pre-set Cooking

Digital Clock / 95 min. nonsegment digital timer

5 microwave power levels

Cooking end signal


Quick start
Auto defrost function


Safety Child safety lock


1400W input microwave power


1000 W grill power Metal rack Glass turntable Stainless steel interior


Black glass built-in frame














MICROWAVE OVENS













5

8

8

5



20 Liter

5



6

Level

MWE-35 IB

Built-In Microwave Microwave Type 25 Lt Capacity

Cooking Function Touch control microwave + Oven with grill

8 auto cooking programs

Comfort 95 Minute timer

Touch control and touch open door Defrost by weight / time

Safety Child safety lock

Others

Power Input 1450W Power output 900W 1000W grill 315mm turntable

SUS Cavity Door glass Acrylic control panel + anti-finger SUS strips decoration White LED display

MWE-35 W

Microwave Type Built-In Microwave 25 Lt Capacity

Cooking Function Touch control microwave +

Oven with grill 8 auto cooking programs

Comfort 95 Minute timer

Touch control and touch open door Defrost by weight / time

Safety

Others

Power Input 1450W Power output 900W 1000W grill 315mm turntable SUS Cavity

Child safety lock

Door glass Acrylic control panel White LED display

MWE-35 G

Built-In Microwave Microwave Type 25 Lt Capacity

Cooking Function Touch control microwave +

Oven with grill 8 auto cooking programs

Comfort 95 Minute timer

Touch control and touch open door

Defrost by weight / time

Safety Child safety lock

Power Input 1450W Others

Power output 900W 1000W grill 315mm turntable SUS Cavity Door glass Acrylic control panel

White LED display

MW9012X01

Comfort

Built-In Microwave Microwave Type 20 Lt Capacity

Cooking Function Microwave + Grill cooking Multi-cooking function

8 auto cooking programs 2 combination cooking programs

(microwave & grill) Pre-set Cooking

Digital Clock / 95 min. non-

segment digital timer 5 microwave power levels Cooking end signal

Quick start

Defrost by weight and time

Auto reheat

Safety Child safety lock

Others 1250W input microwave power 1000 W grill power

Stainless steel interior / window glass frontal panel

Stainless steel built-in frame

Metal rack Glass turntable Anti finger

Option without anti finger

MW9035B01

Built-In Microwave Microwave Type 20 Lt Capacity

Cooking Function Microwave + Grill cooking 8 auto cooking programs

2 combination cooking programs (microwave & grill)

Express cooking Pre-set Cooking

Digital clock


6 microwave power levels Cooking end signal Cooking timer


Auto & Speed Defrost function


Safety Child safety lock


Others 900 W grill power


700 W output microwave power Glass turntable Stainless steel interior


















GAS HOB

Combustion of gas is used as the source of heat.



SMART CONNECT

It is possible to control the various functions of the hood directly from the hob.



VITROCERAMIC HOB

Intensive heat - resistant and shockproof ceramic glass surface (Resistant up to 850°C)



GAS PROOF SAFETY

It cuts off the gas supply immediately to ensure full safety.



INDUCTION HOB

It is the high-frequency electromagnetic feature which transforms the container into a heat generator rather than conveying the heat it generated to the container



BRIDGE

Two separate cooking zones can be used as a single and large surface.



EASY CLEANING

Easy cleaning for day to day maintenance.



AFTER HEAT INDICATOR

The post-heating indicator shows whether it is safe to touch the surface.



WIDTH

The width of the oven. (30-90 cm)



TIME ASSISTANCE

The function of the closure of timer closes all of hotplates safety when selected time expired.



FIRING IGNITION

Automatic ignition system.



CHILD SCREEN LOCK

The child safety lock inhibits all functions of the hob with a single button.



FIRE CONTROL

Gives you precise, convenient fire control over all cooking zones.



BOOSTER

This function is used to heat the oven rapidly; it is not suitable for cooking food.

INDUCTION HOBS





















Hob Features

Built-in 30cm Black

Comfort Features

2 Radial Coil Booster Touch Control Timer

Child Safety Lock Safety

Other Features

Product Dimensions (WxDxH): 290 x 520 x 58mm Cut Out Dimensions (WxDxH): 260 x 490mm Front Right Zone Size / Power: 180 / 2000 W (B 2300 W) Rear Right Zone Size / Power: 180 / 1800 W (B 2000 W)

Maximum Power: 3600 W



















IH8110B01

Hob Features

Built-in 60cm Black

Comfort Features 4 Induction Zones


Booster Touch Control Timer

Safety

Child Safety Lock

Other Features

Product Dimensions (WxDxH): 590 x 520 x 56mm Cut Out Dimensions (WxDxH): 565 x 495mm Front Right Zone Size / Power: 180 / 2000 W (B 2300 W) Rear Right Zone Size / Power: 210 / 2300 W (B 2600 W) Front Left Zone Size / Power: 180 / 2000 W (B 2300 W) Rear Left Zone Size / Power: 180 / 2000 W (B 2300 W) Maximum Power: 6400 W

























Hob Features

Built-in 60cm Black

Comfort Features 4 Induction Zones

Booster Multi Slider Bridge Timer Keep Warm Pause and Go


Safety Child Safety Lock

Residual Heat Control Automatic Safety Switch Off

Other Features

Product Dimensions (WxDxH): 590 x 520 x 50mm Cut Out Dimensions (WxDxH): 565 x 495mm Front Right Zone Size / Power: 190x190mm- 2KW/2,8kW Rear Right Zone Size / Power: 190x190mm- 2KW/2,8kW Front Left Zone Size / Power: 190x190mm- 1,5KW/2kW Rear Left Zone Size / Power: 190x190mm- 1,5KW/2kW

Maximum Power: 7200W























IH8113B01

Hob Features Built-in 60cm

Black

Comfort Features 4 Induction Zones

Booster

Smart Control (Backlight) Bridge

Timer Keep Warm Pause and Go

Child Safety Lock Safety Residual Heat Control


Automatic Safety Switch Off

Other Features Product Dimensions (WxDxH): 590 x 520 x 50mm

Cut Out Dimensions (WxDxH):

565 x 495mm Front Right Zone Size / Power: 190x190mm- 2KW/2,8kW Rear Right Zone Size / Power: 190x190mm- 2KW/2,8kW Front Left Zone Size / Power: 190x190mm- 1,5KW/2kW Rear Left Zone Size / Power: 190x190mm-1,5KW/2kW

Maximum Power: 7200W







VITRO CERAMIC HOBS



















VC8220B01

Hob Features Built-in

30cm Black

Comfort Features 2 Induction Zones

Booster Touch Control Timer Red Display

Child Safety Lock Safety

Product Dimensions (WxDxH): 290 x 520 x 51mm Other Features

Cut Out Dimensions (WxDxH): 260 x 490mm

Front Right Zone Size / Power: 140 / 1200 W

Rear Right Zone Size / Power: 180 / 1800 W

Maximum Power: 3000 W





















VC8210B01

Hob Features Built-in

60cm Black

Comfort Features 4 Induction Zones

Booster Touch Control

Timer Red Display

Safety

Child Safety Lock Residual Heat Indicator Automatic Shutdown

Other Features Product Dimensions (WxDxH):


590 x 520 x 51mm


Cut Out Dimensions (WxDxH): 565 x 495mm

Font Right Zone Size / Power: 145 / 1200 W Rear Right Zone Size / Power: 2100 / 2250 W Front Left Zone Size / Power: 180 / 1800 W

Rear Left Zone Size / Power: 180 / 1800 W

Maximum Power: 7000 W







MYFLAME HOBS

My**Flame**)















CS5427B01

Hob Features Built-in

60cm Black

Comfort Features

Cast Iron Pans Supports 4 Gas Burners Auto Ignition

MY FLAME

Gas Safety Device Safety

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH):

560 x 490mm

1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options

My**Flame**)



















CS5427W01

Hob Features

Built-in 60cm White

Comfort Features

Cast Iron Supports 4 Gas Burners Auto Ignition Front Mechanical Control

MY FLAME

Safety Gas Safety Device

Other Features

Product Dimensions (WxDxH): 750 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options

My**Flame**)

















CS5427S01

Hob Features Built-in

60cm

Grey

Comfort Features Cast Iron Supports

4 Gas Burners

Auto Ignition

Front Mechanical Control

Gas Safety Device Safety

Other Features Product Dimensions (WxDxH):

590 x 520 x 55mm

Cut Out Dimensions (WxDxH):

560 x 490mm

1 x Rapid burner: 2900 W

2 x Semi-rapid burner: 1750 W

1 x Auxiliary burner: 1000 W

Maximum Power: 7400 W

Gas Type: NG NG/LPG Options

My**Flame**)











Safety

Other Features





CS5427M01

Hob Features Built-in 60cm

Mink

Comfort Features

Cast Iron Supports
4 Gas Burners
Auto Ignition
Front Mechanical Control

MY FLAME


Gas Safety Device


Product Dimensions (WxDxH): 590 x 520 x 55mm


Cut Out Dimensions (WxDxH): 560 x 490mm


1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG

NG/LPG Options









MYFLAME HOBS

My**Flame**)















CS5426B01

Hob Features Built-in

75cm Black

Comfort Features

Cast Iron Pans Supports 4 Gas Burners 1 WOK Auto Ignition MY FLAME

Gas Safety Device Safety

Other Features

Product Dimensions (WxDxH): 750 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm

NG/LPG Options

1 x WOK burner: 3800 W 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 11200 W Gas Type: NG

My**Flame**)

















CS5426W01

Hob Features Built-in

75cm White

Comfort Features

Cast Iron Pan Supports 4 Gas Burners 1 WOK Auto Ignition Front Mechanical Control


MY FLAME

Gas Safety Device Safety

Other Features

Product Dimensions (WxDxH): 750 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 11200 W Gas Type: NG NG/LPG Options

My**Flame**)















CS5426S01

Hob Features Built-in

75cm Grey

Enamel Pan Supports 4 Gas Burners 1 WOK Comfort Features

Auto Ignition Front Mechanical Control

MY FLAME

Safety Gas Safety Device

Other Features Product Dimensions (WxDxH):


750 x 520 x 55mm

Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W

1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 11200 W

Gas Type: NG NG/LPG Options

My**Flame**)















CS5426M01

Built-in **Hob Features** 75cm

Mink

Enamel Pan Supports 4 Gas Burners 1 WOK Comfort Features

Auto Ignition Front Mechanical Control

Gas Safety Device Safety


Other Features Product Dimensions (WxDxH):


750 x 520 x 55mm


Cut Out Dimensions (WxDxH): 560 x 490mm


1 x WOK burner: 3800 W 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 11200 W

Gas Type: NG NG/LPG Options




































Hob Features Built-in

60cm Black

Enamel Pan Supports Comfort Features 4 Gas Burners

Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W

2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options



























Hob Features Built-in

CS5392B01

60cm Black

Comfort Features Enamel Pan Supports

3 Gas Burners 1 Electric Burner Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

Product Dimensions (WxDxH): Other Features

590 x 520 x 55mm Cut Out Dimensions (WxDxH): 880 x 660 x 150mm 1 x Rapid burner: 2900 W 1 x Semi burner: 1750 W 1 x Electric rapid burner: 1500 W 1 x Auxiliary burner: 1000 W Maximum Power: 1200 W

Gas Type: NG

Hob Features Built-in

CS5408B01

60cm Black

Comfort Features

Enamel Pan Supports 3 Gas Burners 1 WOK Burners Auto Ignition Under Mechanical Control

Gas Safety Device

Safety

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm

1 x WOK burner: 3600 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 1200 W

Gas Type: NG NG/LPG Options













Hob Features

Built-in 60cm White

Comfort Features Enamel Pan Supports

4 Gas Burners Auto Ignition

Side Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH):

560 x 490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options











Hob Features

60cm Black

Comfort Features Enamel Pan Supports

Built-in

3 Gas Burners 1 Electric Burner Auto Ignition Side Mechanical Control

Gas Safety Device Safety

Product Dimensions (WxDxH): Other Features

Gas Type: NG

590 x 520 x 55mm Cut Out Dimensions (WxDxH):

880 x 660 x 150mm 1 x Rapid burner: 2900 W 1 x Semi burner: 1750 W

1 x Electric rapid burner: 1500 W 1 x Auxiliary burner: 1000 W Maximum Power: 1200 W







CS5408W01

Hob Features Built-in 60cm

White

Enamel Pan Supports Comfort Features

3 Gas Burners 1 WOK Burners

Auto Ignition

Under Mechanical Control

Gas Safety Device Safety

Product Dimensions (WxDxH): Other Features

590 x 520 x 55mm Cut Out Dimensions (WxDxH):


560 x 490mm 1 x WOK burner: 3600 W


2 x Semi-rapid burner: 1750 W


1 x Auxiliary burner: 1000 W Maximum Power: 1200 W


Gas Type: NG


NG/LPG Options




















































Hob Features Built-in

60cm White

Comfort Features Cast Grill

3 Gas Burners 1 WOK Burners Auto Ignition Under Mechanical Control

Safety Gas Safety Device

Other Features Product Dimensions (WxDxH):

590 x 520 x 55mm

Cut Out Dimensions (WxDxH):

560 x 490mm 1 x WOK burner: 3600 W

2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 1200 W

Gas Type: NG NG/LPG Options











Built-in **Hob Features**

30cm Black

Comfort Features

Cast Iron Pans Supports 2 Gas Burners Auto Ignition

Front Mechanical Control

Safety

Gas Safety Device

Product Dimensions (WxDxH): Other Features

300 x 520 x 55mm Cut Out Dimensions (WxDxH):

260 x 490mm 1 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 2750 W Gas Type: NG NG/LPG Options

CS5411B01

Built-in **Hob Features** 30cm

Black

Cast Iron Pans Supports Comfort Features

1 WOK

Auto Ignition

Front Mechanical Control

Safety

Gas Safety Device

Product Dimensions (WxDxH): Other Features

300 x 520 x 55mm Cut Out Dimensions (WxDxH):

260 x 490mm 1x WOK burner: 3800 W

Maximum Power: 3800 W Gas Type: NG NG/LPG Options











CS5409B01

Hob Features Built-in

Black

Safety Gas Safety Device

Other Features Product Dimensions (WxDxH):

Cut Out Dimensions (WxDxH):

560 x 490mm

1 x WOK burner: 3600 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W

Gas Type: NG NG/LPG Options




60cm


Comfort Features Cast Grill


3 Gas Burners 1 WOK Burners Auto Ignition Under Mechanical Control


590 x 520 x 55mm


Maximum Power: 1200 W























CS5335B01

Hob Features Built-in 60cm Black

Comfort Features **Enamel Pan Supports**

4 Gas Burners Auto Ignition

Side Mechanical Control


Safety Gas Safety Device

Other Features Product Dimensions (WxDxH): 590 x 520 x 55mm

> Cut Out Dimensions (WxDxH): 560 x 490mm

> 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W

Gas Type: NG NG/LPG Options















CS5335W01

Hob Features Built-in

60cm White

Enamel Pan Supports Comfort Features

4 Gas Burners Auto Ignition

Side Mechanical Control

Safety Gas Safety Device

Product Dimensions (WxDxH): Other Features

590 x 520 x 55mm

Cut Out Dimensions (WxDxH): 560 x 490mm


1 x Rapid burner: 2900 W

2 x Semi-rapid burner: 1750 W

1 x Auxiliary burner: 1000 W Maximum Power: 7400 W

Gas Type: NG

NG/LPG Options

















CS5343B01

Hob Features Built-in 60cm

Black

Comfort Features Cast Iron Pans Supports 4 Gas Burners

Auto Ignition Side Mechanical Control

Gas Safety Device Safety

Other Features Product Dimensions (WxDxH):


590 x 520 x 55mm Cut Out Dimensions (WxDxH):

560 x 490mm

1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W

1 x Auxiliary burner: 1000 W Maximum Power: 7400 W

Gas Type: NG NG/LPG Options















CS5343W01

Hob Features Built-in

60cm White

Comfort Features Cast Iron Pans Supports 4 Gas Burners

Auto Ignition

Side Mechanical Control

Gas Safety Device Safety Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm

Cut Out Dimensions (WxDxH):


560 x 490mm 1 x Rapid burner: 2900 W

2 x Semi-rapid burner: 1750 W

1 x Auxiliary burner: 1000 W

Maximum Power: 7400 W Gas Type: NG

NG/LPG Options



























Hob Features

Built-in 60cm Black

Comfort Features

Cast Iron Pans Supports 3 Gas Burners 1 Hot Plate Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W 1 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Rear Right Zone Size / Power: 145 / 1500W

Maximum Power: 7150 W

Gas Type: NG

NG/LPG Options





















Hob Features

Built-in 60cm Black

Comfort Features

Enamel Pan Supports 4 Gas Burners Auto Ignition

Front Mechanical Control

Safety

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W

Gas Safety Device

560 x 490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options



CS5429B01

Hob Features

Built-in 60cm Black

Comfort Features

Cast Iron Pans Supports 3 Gas Burners 1 WOK Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 8300 W Gas Type: NG NG/LPG Options













Hob Features

Built-in 60cm White

Comfort Features

Cast Iron Pans Supports 3 Gas Burners 1 Hot Plate Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W 1 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Rear Right Zone Size / Power: 145 / 1500W Maximum Power: 7150 W Gas Type: NG NG/LPG Options











Hob Features

60cm White

Built-in

Comfort Features Enamel Pan Supports

4 Gas Burners Auto Ignition

Front Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm

560 x 490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG

NG/LPG Options











CS5429W01

Hob Features

Safety

Built-in 60cm White

Comfort Features Cast Iron Pans Supports 3 Gas Burners 1 WOK

3 Gas Burners 1 WOK
Auto Ignition
Side Mechanical Control


Gas Safety Device


Other Features P


Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm


1 x WOK burner: 3800 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 8300 W


Gas Type: NG NG/LPG Options





























Hob Features Built-in 60cm

Comfort Features Cast Iron Pans Supports

3 Gas Burners 1 WOK Auto Ignition Front Mechanical Control


Safety Gas Safety Device

Other Features Product Dimensions (WxDxH): 590 x 520 x 55mm

Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W

2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 8300 W Gas Type: NG

NG/LPG Options















CS5407W01

Hob Features Built-in

60cm White

Cast Iron Pans Supports 3 Gas Burners 1 WOK Comfort Features

Auto Ignition

Front Mechanical Control

Safety Gas Safety Device


Product Dimensions (WxDxH): 590 x 520 x 55mm Other Features

Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W 2 x Semi-rapid burner: 1750 W

1 x Auxiliary burner: 1000 W Maximum Power: 8300 W

Gas Type: NG

NG/LPG Options













CS5437B01

Hob Features Built-in 60cm Black

Other Features

Comfort Features Cast Iron Pans Supports

4 Gas Burners Auto Ignition Front Mechanical Control

Gas Safety Device

Safety


Product Dimensions (WxDxH): 590 x 520 x 55mm

Cut Out Dimensions (WxDxH):

560 x 490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W

1 x Auxiliary burner: 1000 W Maximum Power: 7400 W

Gas Type: NG NG/LPG Options















Hob Features Built-in

Safety

60cm White

Comfort Features Cast Iron Pans Supports

4 Gas Burners Auto Ignition

Front Mechanical Control Gas Safety Device


Other Features Product Dimensions (WxDxH):


590 x 520 x 55mm Cut Out Dimensions (WxDxH):

560 x 490mm 1 x Rapid burner: 2900 W

2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W


Gas Type: NG NG/LPG Options



























Hob Features

Built-in 65cm White

Comfort Features

Enamel Pans Supports 4 Gas Burners Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 690 x 520 x 55mm Cut Out Dimensions (WxDxH): 830x490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options





















Built-in

65cm Black

Comfort Features

Hob Features

CS5665B01

Enamel Pans Supports 4 Gas Burners Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 690 x 520 x 55mm Cut Out Dimensions (WxDxH): 830 x 490mm 1 x Rapid burner: 2900 W

2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options





Hob Features Built-in

65cm Silver

Comfort Features

Enamel Pans Supports 4 Gas Burners Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

NG/LPG Options

Other Features

Product Dimensions (WxDxH): 690 x 520 x 55mm Cut Out Dimensions (WxDxH): 830 x 490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG











CS5666W01

Hob Features

Built-in 65cm White

Comfort Features Cast Iron Pans Supports 4 Gas Burners

Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

Other Features Product Dimensions (WxDxH):

690 x 520 x 55mm Cut Out Dimensions (WxDxH):

830x490mm

NG/LPG Options

1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG











Hob Features

65cm Black

Built-in

Cast Iron Pans Supports Comfort Features

4 Gas Burners Auto Ignition

Side Mechanical Control

Safety Gas Safety Device

Other Features

Product Dimensions (WxDxH): 690 x 520 x 55mm Cut Out Dimensions (WxDxH):

830 x 490mm 1 x Rapid burner: 2900 W

2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options











Hob Features Built-in

Safety

65cm Silver

Comfort Features Cast Iron Pans Supports

4 Gas Burners Auto Ignition Side Mechanical Control

Gas Safety Device


Product Dimensions (WxDxH): Other Features


690 x 520 x 55mm Cut Out Dimensions (WxDxH): 830 x 490mm


1 x Rapid burner: 2900 W


2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG


NG/LPG Options















165

























Hob Features

75cm Black

Comfort Features

Enamel Pan Supports 4 Gas Burners 1 WOK Auto Ignition Front Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 750 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W 1 x Rapid burner: 2900 W

2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 11200 W Gas Type: NG NG/LPG Options





CS5364B01



















Built-in 75cm

Black Cast Iron Pans Supports Comfort Features 4 Gas Burners 1 WOK

Built-in

75cm

Auto Ignition Front Mechanical Control

Safety

Gas Safety Device

Other Features

Hob Features

Product Dimensions (WxDxH): 750 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 11200 W Gas Type: NG NG/LPG Options











Hob Features

Black

Comfort Features

Enamel Pan Supports 4 Gas Burners 1 WOK Auto Ignition Front Mechanical Control

Safety

Other Features

Gas Safety Device

Product Dimensions (WxDxH): 750 x 520 x 55mm Cut Out Dimensions (WxDxH):

560 x 490mm 1 x WOK burner: 3800 W 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W

1 x Auxiliary burner: 1000 W

Maximum Power: 11200 W Gas Type: NG NG/LPG Options













Hob Features

Built-in 75cm White

Comfort Features Enamel Pan Supports

4 Gas Burners 1 WOK Auto Ignition Front Mechanical Control

Safety

Gas Safety Device

NG/LPG Options

Other Features

Product Dimensions (WxDxH): 750 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x WOK burner: 3800 W 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 11200 W Gas Type: NG











Hob Features

75cm White

Built-in

Comfort Features Cast Iron Pans Supports 4 Gas Burners 1 WOK

Auto Ignition Front Mechanical Control

Gas Safety Device

Safety Other Features

Product Dimensions (WxDxH): 750 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm

1 x WOK burner: 3800 W 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 11200 W

Gas Type: NG NG/LPG Options











Hob Features

Other Features

Built-in 75cm White

Comfort Features Enamel Pan Supports

> 4 Gas Burners 1 WOK Auto Ignition Front Mechanical Control

Safety Gas Safety Device


> Product Dimensions (WxDxH): 750 x 520 x 55mm


Cut Out Dimensions (WxDxH): 560 x 490mm


1 x WOK burner: 3800 W 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W


Maximum Power: 11200 W


Gas Type: NG NG/LPG Options





























CS5363W01

Hob Features Built-in

90cm White

Comfort Features Cast Iron Pans Supports 4 Gas Burners 1 WOK

Auto Ignition

Front Mechanical Control

Gas Safety Device Safety

Other Features Product Dimensions (WxDxH):

860 x 520 x 55mm Cut Out Dimensions (WxDxH):

830x490mm

1 x WOK burner: 3800 W

1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W

1 x Auxiliary burner: 1000 W Maximum Power: 11200 W

Gas Type: NG NG/LPG Options











CS5363B01

Hob Features Built-in

90cm Black

Cast Iron Pans Supports 4 Gas Burners 1 WOK Comfort Features

Auto Ignition

Front Mechanical Control

Gas Safety Device

Safety

Other Features Product Dimensions (WxDxH):

860 x 520 x 55mm Cut Out Dimensions (WxDxH):

830 x 490mm

1 x WOK burner: 3800 W 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W

1 x Auxiliary burner: 1000 W Maximum Power: 11200 W

Gas Type: NG NG/LPG Options

















Comfort Features

Hob Features Built-in

90cm Black

Cast Iron Supports 4 Gas Burners 1 WOK

Auto Ignition

Front Mechanical Control

Safety Gas Safety Device

Other Features Product Dimensions (WxDxH):

750 x 520 x 55mm

Cut Out Dimensions (WxDxH):

880 x 660 x 150mm

1 x WOK burner: 3800 W

1 x Rapid burner: 2900 W

2 x Semi-rapid burner: 1750 W

1 x Auxiliary burner: 1000 W Maximum Power: 11200 W

Gas Type: NG NG/LPG Options













CS5614W01

Hob Features Built-in 90cm

White

Comfort Features Cast Iron Supports Supports 4 Gas Burners 1 WOK

Auto Ignition

Front Mechanical Control

Gas Safety Device

Safety Other Features

Product Dimensions (WxDxH): 750 x 520 x 55mm

Cut Out Dimensions (WxDxH):

880 x 660 x 150mm


1 x WOK burner: 3800 W


1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W


1 x Auxiliary burner: 1000 W


Maximum Power: 11200 W


Gas Type: NG NG/LPG Options












169



































CS5343M01

Hob Features

Built-in 60cm Mink

Comfort Features Cast Iron Pans Supports

4 Gas Burners Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options



Hob Features

Built-in 60cm Mink

Comfort Features

Enamel Pan Supports 4 Gas Burners Auto Ignition

Safety

Gas Safety Device

Other Features

560 x 490mm 1 x Rapid burner: 2900 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options



Side Mechanical Control

Product Dimensions (WxDxH): 590 x 520 x 55mm

Cut Out Dimensions (WxDxH): 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W





CS5364M01

Hob Features

Built-in 75cm Mink

Comfort Features


Cast Iron Pans Supports 4 Gas Burners 1 WOK Auto Ignition Front Mechanical Control


Safety


Gas Safety Device


Other Features

Product Dimensions (WxDxH): 750 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1x WOK burner: 3800 W 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 11200 W Gas Type: NG NG/LPG Options











































































CS5430S01

Hob Features

Built-in 90cm Black

Comfort Features

Cast Iron Supports 3 Gas Burners 1 Hot Plate Auto Ignition Side Mechanical Control

Safety

Gas Safety Device

Gas Type: NG NG/LPG Options

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W 1 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Rear Right Zone Size/Power: 145/1500W Maximum Power: 7150 W



Hob Features

Built-in 60cm Grey

Comfort Features Cast Iron Pans Supports

4 Gas Burners Auto Ignition Side Mechanical Control

Safety

Product Dimensions (WxDxH): Other Features 590 x 520 x 55mm 560 x 490mm

NG/LPG Options

Gas Safety Device

Cut Out Dimensions (WxDxH): 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG



Hob Features

Built-in 60cm Grey

Comfort Features

CS5429S01

Cast Iron Pans Supports 3 Gas Burners 1 WOK Auto Ignition Side Mechanical Control

Safety

Other Features

Gas Safety Device

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm

1 x WOK burner: 3800 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 8300 W Gas Type: NG NG/LPG Options

CS5436S01

Hob Features

Built-in 60cm Grey

Comfort Features

Enamel Pan Supports 4 Gas Burners 1 WOK Auto Ignition Front Mechanical Control

Safety

Gas Safety Device

NG/LPG Options

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm

1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG



CS5349S01

Hob Features

60cm Grev

Built-in

Comfort Features Enamel Pan Supports 4 Gas Burners

Auto Ignition Side Mechanical Control

Safety Gas Safety Device

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W

2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options



Hob Features Built-in

CS5437S01

60cm

Grey

Comfort Features Enamel Pan Supports 4 Gas Burners

Auto Ignition Front Mechanical Control

Gas Safety Device


Product Dimensions (WxDxH): Other Features


590 x 520 x 55mm Cut Out Dimensions (WxDxH):


560 x 490mm 1 x Rapid burner: 2900 W


2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W


Maximum Power: 7400 W Gas Type: NG NG/LPG Options




















































Safety



CS5335S01

Hob Features

Safety

60cm Grey

Comfort Features **Enamel Pan Supports**

4 Gas Burners Auto Ignition Side Mechanical Control

Gas Safety Device

Other Features

Product Dimensions (WxDxH): 590 x 520 x 55mm Cut Out Dimensions (WxDxH): 560 x 490mm 1 x Rapid burner: 2900 W

2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options

Hob Features

Comfort Features Cast Iron Pans Supports 4 Gas Burners 1 WOK

Safety Gas Safety Device

Other Features

Cut Out Dimensions (WxDxH):

1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W Maximum Power: 11200 W

Gas Type: NG NG/LPG Options

CS5364S01

75cm

Grey

Auto Ignition Front Mechanical Control

Product Dimensions (WxDxH): 750 x 520 x 55mm

560 x 490mm 1 x WOK burner: 3800 W

1 x Auxiliary burner: 1000 W

CS5365S01

Hob Features 75cm

Grey

Enamel Pan Supports 4 Gas Burners 1 WOK

Auto Ignition Front Mechanical Control

Gas Safety Device


Other Features


Product Dimensions (WxDxH): 750 x 520 x 55mm Cut Out Dimensions (WxDxH):


560 x 490mm 1 x WOK burner: 3800 W 1 x Rapid burner: 2900 W

2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 11200 W

Gas Type: NG NG/LPG Options







STAINLESS STEEL HOBS



AS5631X01

Hob Features Built-in 60cm

Inox

Comfort Features Enamel Pan Supports 4 Gas Burners

Auto Ignition

Side Mechanical Control

Safety Gas Safety Device

AS5632X01

Built-in

60cm

Enamel Pan Supports

Gas Safety Device

590 x 520 x 55mm

560 x 490mm

Gas Type: NG

NG/LPG Options

Side Mechanical Control

Auto Ignition

3 Gas Burners 1 Electric Burner

Product Dimensions (WxDxH):

Cut Out Dimensions (WxDxH):

1 x Semi-rapid burner: 1750 W

1 x Rapid burner: 2900 W

1 x Electric burner: 1500W

Maximum Power: 1500 W

1 x Auxiliary burner: 1000 W

Inox

Hob Features

Safety

Other Features

Comfort Features

Other Features Product Dimensions (WxDxH):

590 x 520 x 55mm Cut Out Dimensions (WxDxH):

560 x 490mm


1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W

1 x Auxiliary burner: 1000 W

Maximum Power: 1200 W

Gas Type: NG

NG/LPG Options





AS5633X01

Hob Features

Built-in 60cm

Inox

Cast Iron Pans Supports Comfort Features 3 Gas Burners 1 WOK Burner

Auto Ignition

Side Mechanical Control

Safety Gas Safety Device

Other Features Product Dimensions (WxDxH):

590 x 520 x 55mm


Cut Out Dimensions (WxDxH): 560 x 490mm

1 x WOK burner: 3800 W

2 x Semi-rapid burner: 1500 W

1 x Auxiliary burner: 1000 W Maximum Power: 7400 W

Gas Type: NG NG/LPG Options































Hob Features

Built-in

60cm Inox

Comfort Features Cast Iron Pans Supports

4 Gas Burners Auto Ignition

Side Mechanical Control

Safety Gas Safety Device

Other Features Product Dimensions (WxDxH):

590 x 520 x 55mm

Cut Out Dimensions (WxDxH):
































FREESTANDING HOBS































FS5425B01

Free Standing Hob Features 60cm

Black

Comfort Features Enamel Pan Supports 4 Gas Burners

Auto Ignition Side Mechanical Control

Gas Safety Device Safety

Product Dimensions (WxDxH): Other Features

Froduct Dimensions (WXDXH): 590 x 520mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxillary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options

FS5425S01

Hob Features Free Standing

60cm Grey

Comfort Features Enamel Pan Supports

4 Gas Burners Auto Ignition Side Mechanical Control

Gas Safety Device

Safety

Other Features

Product Dimensions (WxDxH): 590 x 520mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options

FS5425W01

Hob Features Free Standing 60cm

White

Comfort Features Enamel Pan Supports

4 Gas Burners Auto Ignition Side Mechanical Control

Gas Safety Device Safety

Product Dimensions (WxDxH): Other Features

Froduct Dimensions (WXDXH): 590 x 520mm 1 x Rapid burner: 2900 W 2 x Semi-rapid burner: 1750 W 1 x Auxiliary burner: 1000 W Maximum Power: 7400 W Gas Type: NG NG/LPG Options









LARGE CAPACITY

Provides spacious storage area thanks to large inner volume.





Designed specifically for dairy/ breakfast items, the "Chiller Compartment" keeps food between - 2°C and + 3°C. This compartment is ideal for storing breakfast items and etc..



NO FROST

The no-frost system isolates the freezer from humidity, ensuring that the air inside the fridge remains dry. Thus it prevents humidity and frosting on the inner walls of the product to ensure that food does not freeze. Thanks to this system, food items are frozen more quickly, more evenly and balanced matter, remaining as fresh as the first day



ELECTRONIC CONTROL

The "Electronic Control" panel allows the user to set separate temperatures for the fridge and the freezer.



ARTIFICIAL INTELLIGENCE

Thanks to the "Artificial Intelligence" function, the refrigerator detects the environmental temperature to set its own refrigerator, saving you the trouble of manual setting.



- BLUE LIGHT

Equipped with sterilisation function, the "Blue Light" lighting function illuminates fruits and vegetables with a light that has the ideal wavelength, ensuring that they photosynthesise as they do in the nature. Food whose tastes and aromas are preserved remain fresh for a longer time and preserve the vitamin C they contain.



VACATION MODE

This function allows you to operate your refrigerator at low power when you are going to be away from home for a long time. When this function is selected, food in the freezer is kept as they are. To prevent bad odours in the freezer, the temperature is kept at around 12 degrees all the time. Moreover, you also save energy since the compressor does not run continuously in this mode.



+

MOISTURE CONTROL (VEGETABLE)

Without the humidity control function, the air inside the crisper evaporates, reaching the food and shortening its life. Thanks to the adjustable "Humidity-Controlled Crisper" function in your refrigerator, the air inside the crisper condenses to allow you to keep humidity ratios of the food under control. This way, food items are kept fresh for a longer time.



TOUCH CONTROL

Along with a modern appearance, the "Touch Control" offers ease of use in terms of technologic aspects to allow the user to set separate temperatures for each compartment.





ANTI-FINGER PRINT

This feature ensures that the outer surface of the refrigerator looks clean at all times.





ICE MAKER

"Rotary Ice Maker" makes ice in about 2-3 hours. Ice pieces in the container fall into the ice storage container below once the knob on it is turned. The ice storage container is only intended to store ice.





It provides a more powerful white light for the interior of the refrigerator.

HIGH PERFORMANCE REFRIGERATION TECHNOLOGIES An indispensable element of any kitchen with a unique design and essential functionality. SILVERLINE Refrigerate are equipped with significant technical features such as the Anti-Odor and Air Cleaning System with UV, LED An indispensable element of any k design and essential functionality. are equipped with significant techt the Anti-Odor and Air Cleaning Sy and Platinum Rays, the Anti-bacte bacterial growth and propagation, System ensuring moisture control vegetables to maintain their nutrit the Multiple Air Flow System that i your refrigerator. The energy class offers high performance with minimaddition to providing your kitchen look thanks to their elegant aesthe they also maintain a clean appeara they also maintain a clean appearance cleanliness thanks to their fingerprint-resistant surface. The changeable opening direction of the doors provides for flexible installation that can be adapted kitchens of all styles.

REFRIGERATORS





























R12051B04

General Feature

Cross Door Refrigerator Blue LED Light Sterilization Function Artificial Intelligence Function Black Colour Glass Door 492lt Total Gross Volume

Cooling System F Energy Class

Touch Control Panel T Climate Type Multi Air Flow Total No Frost

482lt Total Net Volume

Fridge Compartment 3 glass shelves on fridge part

6 shelves on fridge door balcony 2 crisper drawers

2 crisper dra Egg rack

Freezer Compartment 4 Stars Freezer

6 Drawers Freezer

Product Dimension (WDH): 833x654x1820mm

Loading Quantity 40'HQ: 52 pcs

R12051W04

General Feature Cross Door Refrigerator

Blue LED Light Sterilization Function Artificial Intelligence Function White Colour Glass Door 492lt Total Gross Volume 482lt Total Net Volume

Cooling System F Energy Class

Touch Control Panel T Climate Type Multi Air Flow Total No Frost

Fridge Compartment 3 glass shelves on fridge part

6 shelves on fridge door balcony 2 crisper drawers

Egg rack

Freezer Compartment 4 Stars Freezer

6 Drawers Freezer

Product Dimension (WDH): 833x654x1820mm

Loading Quantity 40'HQ: 52 pcs















































General Feature

Blue LED Light Sterilization Function Artificial Intelligence Function Mirror Colour Glass Door 492lt Total Gross Volume 482lt Total Net Volume

Cooling System

F Energy Class T Climate Type Multi Air Flow Total No Frost

6 shelves on fridge door balcony

Loading Quantity 40'HQ: 52 pcs

2 crisper drawers Egg rack

Freezer Compartment 4 Stars Freezer

6 Drawers Freezer

Dimension Product Dimension (WDH): 833x654x1820mm R12051X04

General Feature

Cross Door Refrigerator Blue LED Light Sterilization Function Artificial Intelligence Function Inox Door 492lt Total Gross Volume

482lt Total Net Volume

Cooling System

F Energy Class Touch Control Panel T Climate Type Multi Air Flow Total No Frost

Fridge Compartment 3 glass shelves on fridge part

6 shelves on fridge door balcony

2 crisper drawers

Egg rack

Freezer Compartment 4 Stars Freezer

6 Drawers Freezer























R12051F04

Cross Door Refrigerator

Touch Control Panel

Fridge Compartment 3 glass shelves on fridge part

Product Dimension (WDH): 833x654x1820mm

Loading Quantity 40'HQ: 52 pcs



R12046B01

General Feature

Side By Side Refrigerator Holiday Function Door Opened Over Alarm Black Colour Glass Door 562lt Total Gross Volume 514 Lt Net Capacity

Cooling System

F Energy Class Led Touch Screen ST Climate Multi Air Flow Total No Frost

Quick Cooling Function Fridge Compartment

4 shelves on fridge door balcony

2 crisper drawers Egg rack

Freezer Compartment Quick Freezing Function

4 shelves on freezer door balcony

Product Dimension: W910 x D650(+Handle 700) x H1770 Loading Quantity 40'HQ: 48 pcs



R12066X01

General Feature

Dimension

Side By Side Refrigerator 25L variable compartment volume

Inox Door 520lt Total Gross Volume 474L Net Total Volume

Cooling System F Energy Class

Electronic LED Display Control

T climate type Multi Air Flow Total No Frost

Fridge Compartment Egg rack

Freezer Compartment 4stars freezer

12kg freezer capacity

Unit Dimension: 920*630*1765mm

Loading Capatiy 40HQ: 52pcs
































































R12073X01

General Feature Combi Type Refrigerator

Recessed Handle Revisable Door Inox Door

416I Total Net Volume 468l Total Gross Volume

Cooling System F Energy Class

Electronic Touch Control Panel

T Climate Type Total No Frost Multi Air Flow

Fridge Compartment 3 shelves on fridge door balcony

2 crisper drawers

Egg rack

Freezer Compartment 4stars freezer

3 Drawers Freezer

Dimension Unit Dimension (WDH): 700x666x1880

Loading Capatiy 40HQ: 67pcs

R12074X01

Cooling System

Dimension

%

Combi Type Refrigerator General Feature

Recessed Handle Revisable Door Inox Door 295l Total Net Volume 325l Total Gross Volume

F Energy Class Electronic Touch Control Panel

T Climate Type Total No Frost

Multi Air Flow Fridge Compartment 5 shelves on fridge door balcony

2 crisper drawers Egg rack

Freezer Compartment 4stars freezer

Unit Dimension (WDH): 595x630x1880 Loading Capatiy 40HQ: 72pcs

R12074B01

General Feature Combi Type Refrigerator

Recessed Handle Revisable Door Black Colour Glass Door 295l Total Net Volume 325l Total Gross Volume

Cooling System F Energy Class

Electronic Touch Control Panel

T Climate Type Total No Frost Multi Air Flow

Fridge Compartment 5 shelves on fridge door balcony

2 crisper drawers Egg rack

Freezer Compartment 4 stars freezer

3 Drawers Freezer

Unit Dimension (WDH): 595x630x1880 Dimension

Loading Capatiy 40HQ: 72pcs













General Feature Combi Type Refrigerator

Recessed Handle Revisable Door White Color Glass Door 295l Total Net Volume 325l Total Gross Volume

F Energy Class Cooling System

Electronic Touch Control Panel

T Climate Type Total No Frost Multi Air Flow

Fridge Compartment 5 shelves on fridge door balcony

2 crisper drawers Egg rack

Freezer Compartment 4 stars freezer

3 Drawers Freezer

Unit Dimension (WDH): 595x630x1880 Dimension

Loading Capatiy 40HQ: 72pcs









































R12060W01

General Feature Combi Type Refrigerator

Grip handle optional Reversible door White Colour 260l Total Net Volume 267l Total Gross Volume

Cooling System F Energy Class

Safety glass ST Climate Type Static

ECO LED light

Fridge Compartment 2L bottle rack Fruit and vegetable crisper

Egg rack

Freezer Compartment 3 Drawers Freezer

Dimension(W×D×H): 545×585×1800(without handle)

Load Capacity 40HQ: 100pcs

R12064X01

Cooling System

General Feature Double Door TMF Refrigerator

Recessed handle Reversible door Inox Door 425l Total net volume 459l Total gross volume

F Energy Class Electronic control T Climate Type

Total no frost Led Light

Fridge Compartment 2 shelves

Chiller Drawer Fruit and vegetable crisper Egg rack

Freezer Compartment 2 Balcony Freezer 4 star rating freezer

Dimension Product Size (WxDxH): 700x670x1770 mm

Load Capacity 40HQ: 66pcs

R12044X01

General Feature Double Door TMF Refrigerator

Recessed handle Reversible door Inox Door 294l Total net volume

304lTotal gross volume

Cooling System A+ Energy Class

Mechanical control T Climate Type Total No Frost Led Light

Fridge Compartment 3 shelves 3 Balcony Fridge

Fruit and vegetable crisper

Egg rack

Freezer Compartment 1 shelf on freezer 4 star rating freezer

Dimension Product Size (WxDxH): 595*695*1724 mm

Load Capacity 40HQ: 72pcs

R12047S01

General Feature Double Door TMF Refrigerator Recessed handle

Reversible door Silver Colour Door 311 Total net volume 319ITotal gross volume

F Energy Class Mechanical Control Cooling System

ST Climate Tpe Static Led Light

Fridge Compartment 3 shelves

3 Balcony Fridge Fruit and vegetable crisper

Egg rack

Freezer Compartment 1 shelf on freezer 4 star rating freezer

Dimension Product (WxDxH): 60x60x170 cm Dimension

Load Capacity 40HQ: 73pcs













R12069W03

General Feature

Built-in Combi Refrigerator Reversible door White Colour Cabinet 2411 Total net volume 2501 Total gross volume


Cooling System

F Energy Class Electronic control T Climate Tpe Total No Frost Interior light

Fridge Compartment Recessed Space for Beverage 2L bottle rack Fruit and vegetable crisper Egg rack

Freezer Compartment Sliding Box for Pizza 2 Drawers Freezer

Product dimension (WxDxH): 540x545x1772 Load Capacity (40HQ) : 105 Dimension















General Feature Built-in Combi Refrigerator

Reversible door White Colour Cabinet 250I Total net volume 259I Total gross volume

Cooling System F Energy Class
Electronic control

Electronic control ST Climate Tpe Static Interior light

Fridge Compartment 3 shelves

2L bottle rack

Fruit and vegetable crisper


Egg rack

Freezer Compartment 4 star rating freezer

3 Drawers Freezer

Dimension Product Size (WxDxH): 540x540x1785 mm

Load Capacity (40HQ): 109















R12056W01

General Feature Double Door TMF Refrigerator

Recessed handle Reversible door White Colour Door 240I Total net volume 245I Total gross volume

Cooling System F Energy Class

Mechanical control
ST Climate Tpe
Static
Interior light

Fridge Compartment 3 shelves

2L bottle rack

Fruit and vegetable crisper Egg rack

Freezer Compartment 1 shelf on freezer 4 star rating freezer

Dimension Dimension(W×D×H)(mm): 550×550×1590

Load Capacity (40HQ): 108

R12042W01

General Feature Mini Fridge

Reversible door Adjustable leg White Colour Door 93I Total net volume 108I Total gross volume

Cooling System F Energy Class Mechanical control

Mechanical control T Climate Tpe Static

Fridge Compartment Tempered glass shelf 2L bottle rack

Fruit and vegetable crisper

Egg rack

Freezer Compartment Separate freezer compartment

Dimension Dimension(W×D×H)(mm): 472×450×850

Load Capacity (40HQ): 338pcs

REFRIGERATORS FREEZERS

























R12075W01

General Feature

Recessed handle Reversible door White Colour Door 43l Total net volume

Cooling System

F Energy Class Mechanical control T Climate Tpe Static

Load Capacity (40HQ): 573pcs

45I Total gross volume

Fridge Compartment 1 wire shelf

Freezer Compartment Separate freezer compartment Unit Dimenison472x450x492 Dimension

R12093W01

General Feature

Recessed handle Reversible door White Colour Door 43l Total net volume 45I Total gross volume

Cooling System

F Energy Class Mechanical control ST Climate Tpe Static

Fridge Compartment Crisper Drawer

Egg Rack

Freezer Compartment 4 Star Rating Freezer

Dimension

Unit Dimenison 818x595x545 Load Capacity (40HQ): 230pcs

F22005S02

General Feature

Chest Freezer Silver Colour 99lt Total Net Volume Lock Grip Handle

LED Light

Cooling System A+ Energy Class Mechanical Control

T Climate Type Static

Dimension

Product Dimension (WDH): 565x523x850mm

Loading Quantity 40'HQ: 248 pcs

F22009S02

General Feature

Chest Freezer Silver Colour 142lt Total Net Volume

Lock Grip Handle

LED Light Cooling System

A+ Energy Class Mechanical Control T Climate Type

Static

Product Dimension (WDH): 5730x523x850mm

Loading Quantity 40'HQ: 248 pcs

FREEZERS













General Feature Chest Freezer

Silver Colour 198lt Total Net Volume Lock

Grip Handle LED Light

Cooling System

A+ Energy Class Mechanical Control T Climate Type Static

Dimension

Product Dimension (WDH): 9450x523x850mm Loading Quantity 40'HQ: 214 pcs









General Feature Upright Freezer White Colour

85lt Total Net Volume 92lt Total Net Volume Recessed Handle Transparent drawers

Cooling System

F Energy Class Electronic Control T Climate Type Static

Product Dimension (WDH): 550x580x850mm Loading Quantity 40'HQ: 236 pcs











F22007X01

General Feature



Product Dimension (WDH): 550x580x1420mm

Loading Quantity 40'HQ: 142 pcs

General Feature Upright Freezer

Inox Door 163 I TTotal Net Volume

182 | Total gross Volume 6 drawers Transparent drawers

Cooling System F Energy Class

Electronic Control T Climate Type Static

Dimension

F22012X01

Inox Door Net Volume: 225 L Gross Volume: 245L 7 drawers Transparent drawers

Upright Freezer

F Energy Class Electronic Control Cooling System

T Climate Type Static

Dimension Product Dimension (WDH): 600x600x1700mm

Loading Quantity 40'HQ: 74 pcs



DISHWASHERS





D11035X01







Main Features

Program

Controls

Specification

Main Features Full-Integrated Dishwasher Capacity for 11 place settings

Energy consumption: E 9 LT Water Consumption 49dB noise level Button control with screen 3/6/9 hours

Half Load Black Control Panel

Program

Intensive Eco Light


Controls Buttons


Technical & Internal SS Filter Specification

3 Grey baskets

Upper & lower spray arms Water softener

Flip Dispenser detergant box Aqua-stop inlet hose











Full-Integrated Dishwasher

Energy consumption: E

3/6/9 hours delay start

Panel + Silver buttons

White body + Black Control

49dB noise level

Button control

Half Load

Normal

Eco

Glass

1 hour

Rapid

Technical & Internal SS Filter

Buttons

2 Grey baskets

Water softener

Upper & lower spray arms

Sliding Dispenser detergant box Aqua-stop inlet hose

11 LT Water Consumption

Capacity for 12 place settings



14



D11024X01

Main Features Full-Integrated Dishwasher

Capacity for 14 place settings Energy consumption: E 11 LT Water Consumption 52dB noise level Button control with screen 1-24 hr delay start

Half Load White body + Black Control

Panel + Silver buttons

Program 90min Glass Rapid Normal


Intensive Eco

Controls Buttons

Technical & Internal SS Filter Specification 3 Grey baskets

Upper & lower spray arms Water softener

Flip Dispenser detergant box Aqua stop inlet hose







D11033B01

Main Features Full-Integrated Dishwasher

Capacity for 12 place settings Energy consumption: E 12 LT Water Consumption 49dB noise level Button control with screen 1-24 hr delay start Black Glass Door

Program

Rapid Intensive Rapid Pre- Rinse Light Buttons

Technical & Internal SS Filter

Controls

Specification

2 Grey baskets Upper & lower spray arms Water softener

Flip Dispenser detergant box Aqua stop inlet hose



D11030B01

Main Features Semi-Integrated Dishwasher

Capacity for 12 place settings Energy consumption: E 11 LT Water Consumption 49dB noise level Button control 1-24 hr delay start Black colour panel

Pre-Rinse Eco Light Rapid Intensive

Controls Buttons

Technical & Internal SS Filter Specification

2 Grey baskets Upper & lower spray arms

Water softener

Flip Dispenser detergant box Aqua stop inlet hose





D11033W01

Main Features Full-Integrated Dishwasher Capacity for 12 place settings

Energy consumption: E 12 LT Water Consumption 49dB noise level Button control with screen 1-24 hr delay start White Glass Door

Program

Eco Rapid Intensive Rapid Pre- Rinse Light

Controls Buttons


Technical & Internal SS Filter Specification


2 Grev baskets


Upper & lower spray arms Water softener

Flip Dispenser detergant box

Aqua stop inlet hose







DISHWASHERS















D11030S01

Main Features

Semi-Integrated Dishwasher Capacity for 12 place settings Energy consumption: E 11 LT Water Consumption 49dB noise level Button control 1-24 hr delay start Silver colour panel

Program

Pre-Rinse Eco Light Rapid Intensive

Controls

2 Grey baskets

Buttons

Technical & Internal SS Filter
Specification 2 Grey ba

Upper & lower spray arms Water softener Flip Dispenser detergant box

Aqua stop inlet hose

D11026X01

Main Features

Freestanding Dishwasher Capacity for 14 place settings Energy consumption: E 10 LT Water Consumption 52dB noise level Button control Inox Door

Program

Pre-Rinse Light Rapid Normal Intensive

Buttons

Controls

Technical & Internal Specification

SS Filter 3 Grey baskets

Upper & lower & middle spray arms Water softener

Sliding Dispenser detergant box

D11038X01

Main Features

Freestanding Dishwasher Capacity for 12 place settings Energy consumption: E 11 LT Water Consumption 49dB noise level Button control with screen 1-24 hr delay start Half Load Inox Door

Program

Intensive Eco 90min Rapid Self Cleaning Pre-rinse

Controls


Technical & Internal Specification

3 Grey baskets

Plastic base & SS Filter

Upper & lower & middle spray arms Water softener

Flip Dispenser detergant box







WASHING MACHINES

















WM14024S02

Freestanding Washing Machine

Silver Color

Washing Capacity: 9 kg Button & Knob Control with big

screen Door Lock

Anto Balance System Anti-Foam Cotrol Overheating Control Child lock

Galvanized Door Frame

Performance E Energy Class 1400 RPM

57,6l Water consumption (L/Cycle)

Universal motor

Programs

Daily 80' Daily 183' Cool Wash 95C Anti-Bac Denim Heavy Drum Clean Rinse+Spin Night Wash Quick Mix Silk

Wool

Synthetic

Loading Quantity (40HQ) 215 Dimension (W*D*H) 595x545x845mm



Programs



WM14016S01

Freestanding Washing Machine

48I Water consumption (L/Cycle)

Loading Quantit (40HQ) 225

Dimension (W*D*H) 595x480x850mm

Washing Capacity: 6 kg

Button & Knob Control

Pre Delay/Time Delay

Silver Color

Drum 41L

Child-Lock

E Energy Class

Universal motor

1000 RPM

Rinse + spin

Cotton

Synthetic

Delicate

Tub Clean

Quick 15'

Mix

WM14017S01

Freestanding Washing Machine

1200 RPM

Universal motor

Programs

Sports Mix Eco Baby Care Quick 15' Rinse + spin Underwear Duvet

Dimension

Silver Color

Washing Capacity: 7 kg Button & Knob Control with small

Performance

52,5l Water consumption (L/Cycle)

Cotton

Synthetic Wool

Loading Quantity (40HQ) 215 Dimension (W*D*H) 595x510x850mm

WM14035W01

screen Drum 58L Child-Lock

Pre Delay/Time Delay

A+++ Energy Class

1400 RPM

Performance

8 Kg

56l Water consumption (L/Cycle)

Freestanding Washing Machine

Button & Knob Control with big

Washing Capacity: 8 kg

Dryer Capacity: 5 kg

Anto Balance System

Overheating Control

Anti-Foam Cotrol

16

Program

Intensive motor

B Energy Class

Child lock

White Color

Programs Intensive

Quick Rinse+Spin Mix Cotton Synthetics Wool Down Jacket Allergy Care Underwear Jeans

Dryer Super Dryer Deodorize Anti-Mite

Loading Quantity (40HQ) 171

Dimension (W*D*H) 595x560x850mm



Freestanding Washing Machine

Black Color

Washing Capacity: 8,5 kg Button & Knob Control with big screen

16

Child-Lock Pre Delay/Time Delay

A+++ Energy Class Performance 1200 RPM

51l Water consumption (L/Cycle)

Inverter motor

Programs Dark Color

Shirt Intensive Bedding Quick Drum Clean Mix Cotton Synthetic Down Jacket Allergy Care Underwear Wool

Jeans

Loading Quantity (40HQ) 171

Dimension (W*D*H) 595x560x850mm

DM54003S01

Freestanding Condenser Dryer

Silver Color

Drying Capacity: 8 kg Galvanized Door Frame Round Door

Moisture sensing Button & Knob Control with big screen

Power-off memorization

Two large filter Anti-crease function

Delay timer: 1-24hr

B Energy Class Automatic Tumble Dryer

Programs Daily

Performance

Cotton

Synthetic Bulky Item Towel Wool Duve Baby Care Warm Air Refresh Underwear

Jeans

Shirts

Sportswear

Loading Quantity (40HQ) 162 Dimension (W*D*H)595x630x890 mm

silverline.com

SILVERLINE BUILT-IN APPLIANCES CO. Silkar Plaza. Topkapı-Maltepe St. No: 6 Floor: 3 Bayrampaşa / İstanbul / TURKEY P.O. 34030 Phone: +90212.484 48 00 (pbx) Fax. +90212.481 40 08