| Directive EU 65/2014 – EN61591, EN60704-2-13, EN50564 | | |
|---|--------------|--|
| | SILVERLINE | |
| Model 343 | 3 | |
| Annual Energy Consumption (AEC)(kWh/a) | 27 | |
| Energy Efficiency Class (EEI) | A+ | |
| Fluid Dynamic Efficiency(FDE) | 37,6 | |
| Fluid Dynamic Efficiency class (FDE) (Indice) | Α | |
| Light Efficiency (LE) | 10 | |
| Lighting Efficiency Class (LE)(indice) | E | |
| Grease Filtering Efficiency (GFE) | 76,1 | |
| Grease Filtering Efficiency Class (GFE)(indice) | С | |
| Minimum Air Flow in Normal Use MIN (m³/h) | 296 | |
| Maximum Air Flow in Normal Use (intensive / boost excluded) MAX (m³/h) | 520 | |
| Air Flow at Intensive/Boost Setting (m³/h) | 742 | |
| Sound Power Level at Minimum Speed Avaible in Normal Use MIN (LWA)(dB) | 46 | |
| Sound Power Level at Maximum Speed Avaible in Normal Use MAX (LWA)(dB) | 62 | |
| Sound Power Level at Intensive/Boost Setting (LWA)(dB) | 71 | |
| Power Consuption Off Mode (Po)(W) | - | |
| Power Consuption in Standby Mode (Ps)(W) | 0,40 | |
| Product Information compliant to commission regulation (EU) No 66/2014 | • | |
| Time increase factor (f) | 0,6 | |
| Energy Efficiency (EElhood) | 38,7 | |
| Measured air flow rate at best efficiency point (QBEP)(m³/h) | 297,0 | |
| Measured air pressure at best efficiency point (PBEP)(Pa) | 401 | |
| Measured electric power input at best efficiency point (WBEP)(W) | 88,0 | |
| Nominal power of the lighting system (WL)(W) | 10,5 | |
| Average illumination of the lighting system on the cooking surface (Emiddle)(lux) | 110 | |